



PUNJAB STATE POWER CORPORATION LIMITED

(Regd. Office : PSEB Head Office, The Mall, Patiala – 147001)

Corporate identity Number U40109PB2010SGC033813 Website: www.pspcl.in

OFFICE OF THE CHIEF ENGINEER /GGSSTP,

(Dy.CE/Headquarters)

PURCHASE CELL-III, V&PO GHANAULI ,ROOPNGAR-140113

Phone no. 01881-275289 E-mail : se-hq-ggsstp-ropar@pspcl.in

To

The Joint Secretary/ Computerization,
PSPCL, The Mall,
Patiala-147001
E-mail : tender@pspcl.in


Memo No. 7826 /EMP-W-12464

Dated 13/10/2023

Subject : Uploading of Corrigendum on PSPCL's Website.

Enclosed please find herewith through E-mail the attachment of the following corrigendum issued by this office for uploading the same on the PSPCL's web site immediately.

Sr. No	Tender Enquiry No & Dated	Estimated Cost	Remarks
1.	494/P-3/EMP-W-12464 dated 13.10.2023	Corrigendum-3	


Dy.CE/HQR,
GGSSTP, Roopnagar.



PUNJAB STATE POWER CORPORATION LIMITED

(Regd. Office : PSEB Head Office, The Mall, Patiala – 147001
Corporate identity Number U40109PB2010SGC033813 Website: www.pspcl.in)

OFFICE OF THE CHIEF ENGINEER/GGSSTP
(Dy.CE/Headquarter)

PURCHASE CELL-III, V&P.O. GHANAULI, ROOPNAGAR-140113

Phone no. 01881-275289 E-mail : se-hq-ggsstp-ropar@pspcl.in

CORRIGENDUM –III

The receipt and opening of Press Tender Enq. 494/P-3/EMP-W-12464 dated 13.10.2023 for Online setting of safety valves set pressure by trevittest.method of 2 x 210 MW BHEL make unit- 5 & 4 at GGSSTP, Ropar has now been extended upto **03.01.2023** and shall be received upto 11.00 A.M. and opened at 11.30 A.M. on the same date. Last date for sale of tender documents has also been re-fixed as 01.01.2024 upto 5.00 P.M.

All other terms and conditions of NIT shall remain the same.

*Detailed NIT may be down-loaded
from PSPCL's Website (www.pspcl.in)*


Dy.CE /HQR,
GGSSTP, Rupnagar .

