

9



PUNJAB STATE POWER CORPORATION LIMITED

(Regd. Office : PSEB Head Office, The Mall, Patiala – 147001)
Corporate identity Number U40109PB2010SGC033813 Website: www.pspcl.in

**OFFICE OF THE CHIEF ENGINEER /GGSSTP,
(Dy.CE/Headquarter)**

PROCUREMENT CELL-1, V&P.O. GHANAULI, ROOPNAGAR-140113

Phone no. 01881-275289 E-mail : Se-hq-ggsstp-ropar@pspcl.in

To

The Joint Secretary/ Computerization,
PSPCL, The Mall,
Patiala-147001
E-mail : tender@pspcl.in

Memo No 5763 /EMP-W-12846
Dated 26-11-24

Subject : Uploading of Corrigendum on PSPCL's Website.

Enclosed please find herewith through E-mail the attachment of the following corrigendum issued by this office for uploading the same on the PSPCL's web site immediately.

Sr. No	Tender Enquiry No & Dated	Remarks
1	7623/P-1/EMP-12846 dtd. 07.11.24	Corrigendum -1

DA/As above


Dy. CE/ Head Quarter,
GGSSTP, Roopnagar



Punjab State Power Corporation Limited

(Regd. Office :PSEB Head Office, The Mall Patiala – 147001,
Corporate Identity Number : U40109PB2010SGC033813 Website:www.pspcl.in


**OFFICE OF THE CHIEF ENGINEER/GGSSTP,
(Dy.CE-HEADQUARTERS)**

**PROCUREMENT CELL-1, V&P.O. GHANAULI, ROOPNAGAR-140113
(PH No: 01881-275289) e-mail : se-hq-ggsstp-ropar@pspcl.in**

CORRIGENDUM-1

The receipt and opening of Limited tender Enquiry No. 7623/P-1/EMP-12846 dated: 07.11.24 for Procurement of Rapid Moisture Analyser for Agro residue based biomass non-torrefied pellets for GGSSTP Coal Testing Lab which was due for opening on 22.11.24 has now been extended upto 04.12.2024 at 11.30 Hrs. Last date for submission of bids has also been re-fixed as 04.12.2024 upto 11.00 Hrs.


All other terms and conditions of NIT shall remain the same.


Dy. CE/ Head Quarter,
GGSSTP, Roopnagar

Endst. No. 5764/65

Date:- 26/11-24

Copy of above is forwarded to Dy.CE/Op. to take up the matter with known firms to ensure participation in this enquiry please.


Dy. CE/Head Quarter,
GGSSTP, Roopnagar

CC:- Dy.CAO, GGSSTP, Ropar