



PUNJAB STATE POWER CORPORATION LIMITED

(Regd. Office : PSEB Head Office, The Mall, Patiala – 147001)
Corporate Identity Number U40109PB2010SGC033813 Website: wwwpspcl.in

OFFICE OF THE CHIEF ENGINEER /GGSSTP,

(Dy.CE/Headquarter)

PROCUREMENT CELL-1, V&P.O. GHANAULI, ROOPNAGAR-140113

Phone no. 01881-275289 E-mail : Se-hq-ggsstp-ropar@pspcl.in

To

The Joint Secretary/ Computerization,
PSPCL, The Mall,
Patiala-147001
E-mail : tender@pspcl.in

Memo No 183

/EMP-W-13029

Dated 19-1-2016

Subject : Uploading of Corrigendum on PSPCL's Website.

Enclosed please find herewith through E-mail the attachment of the following corrigendum issued by this office for uploading the same on the PSPCL's web site immediately.

Sr. No	Tender Enquiry No & Dated	Remarks
1	659/P-1/EMP-W-13029 dated: 27.08.25	Corrigendum 6

DA/As above


Dy. CE/HQR
GGSSTP, Roopnagar.

Punjab State Power Corporation Limited

(Regd. Office :PSEB Head Office, The Mall Patiala – 147001,
Corporate Identity Number : U40109PB2010SGC033813 Website:www.pspcl.in

OFFICE OF THE CHIEF ENGINEER/GGSSTP,

(Dy.CE-HEADQUARTERS)

PROCUREMENT CELL-1, V&P.O. GHANAULI, ROOPNAGAR-140113
(PH No: 01881-275289) e-mail : se-hq-qgsstp-ropar@pspcl.in

CORRIGENDUM-6

The receipt and opening of press tender Enquiry No. 659/P-1/EMP-W-13029 dated: 27.08.25 for Providing protection measures/ Guide bank on the downstream left hand side of Ghanauli drain bank near Chak- Dhera crossing at GGSSTP, Rupnagar during (2025-26) which was due for opening on 09-01-2026 has now been extended up to 04-02-2026 and shall be received up to 11.00 A.M. and opened at 11.30 A.M. on the same date. Last date for sale of tender documents has also been re-fixed as 02-02-2026 up to 5.00 P.M.



Dy.CE/HQR,
GGSSTP, Roopnagar.

Endst. No. 184

Date:- 12-1-26

Copy of above is forwarded to Dy.CE/CIVIL to take up the matter with known firms to ensure participation in this enquiry please & also Provide the list of known firms(email ID's) to this office.

SJ
Dy.CE/Headquarter,
GGSSTP, Roopnagar

2u