PUNJAB STATE POWER CORPORATION LIMITED

(Regd. Office : PSEB Head Office, The Mall, Patiala – 147001) Corporate identity Number U40109PB2010SGC033813 Website: wwwpspcl.in

OFFICE OF THE CHIEF ENGINEER /GGSSTP, (Dy.CE/Headquarters)

PURCHASE CELL-III, V&PO GHANAULI ,ROOPNGAR-140113

Phone no. 01881-275289 E-mail : se-hq-ggsstp-ropar@pspcl.in

То

The Joint Secretary/ Computerization, PSPCL, The Mall, Patiala-147001 **E-mail : tender@pspcl.in**

Memo No. 5010 Dated 17110124

/EMP-W-12814

Subject : Uploading of Corrigendum on PSPCL's Website.

Enclosed please find herewith through E-mail the attachment of the following corrigendum issued by this office for uploading the same on the PSPCL's web site immediately.

Sr. No	Tender Enquiry No & Dated	Estimated Cost	Remarks
1.	567 /P-3/ EMP-W-12814 dated 13.09.24	Corrigendum-I	

GGSSTP, Roopnagar.



PUNJAB STATE POWER CORPORATION LIMITED

(Regd. Office : PSEB Head Office, The Mall, Patiala – 147001 Corporate identity Number U40109PB2010SGC033813 Website: <u>www.pspcl.in</u>

OFFICE OF THE CHIEF ENGINEER/GGSSTP (Dy.CE/Headquarter) PURCASE CELL-III, V&P.O. GHANAULI, ROOPNAGAR-140113 Phone no. 01881-275289 E-mail : se-hq-ggsstp-ropar@pspcl.in

CORRIGENDUM -1

The receipt and opening of Press Tender Enq. 567/P-3/EMP-W-12814 dated 13.09.24 for Hydraulic testing, Ultrasonic testing of Hydrogen Cylinders as per gas cylinder Rule-2016 at a test pressure of 250Kg/cm² at GGSSTP Rupnagar has now been extended upto **13.11.24** and shall be received upto 11.00 A.M. and opened at 11.30 A.M. on the same date. Last date for sale of tender documents has also been re-fixed as 11.11.24 upto 5.00 P.M.

All other terms and conditions of NIT shall remain the same.

Detailed NIT may be down-loaded from PSPCL`s Website (www.pspcl.in)

E /HQR. GGSSTP, Rupnagar . N