



# PUNJAB STATE POWER CORPORATION LIMITED

(Regd. Office : PSEB Head Office, The Mall, Patiala – 147001)

Corporate identity Number U40109PB2010SGC033813 Website : www.pspcl.in

**OFFICE OF THE CHIEF ENGINEER /GGSSTP,  
(Dy.CE/Headquarters)**

**PURCHASE CELL-III, V&PO GHANAULI ,ROOPNGAR-140113**

Phone no. 01881-275289 E-mail : se-hq-ggsstp-ropar@pspcl.in

To

The Joint Secretary/ Computerization,  
PSPCL, The Mall,  
Patiala-147001  
E-mail : tender@pspcl.in

Memo No. 4933 /EMP-W-12765

Dated 09/09/2024

**Subject : Uploading of Corrigendum on PSPCL's Website.**

Enclosed please find herewith through E-mail the attachment of the following corrigendum issued by this office for uploading the same on the PSPCL's web site immediately.

Sr. No	Tender Enquiry No & Dated	Estimated Cost	Remarks
1.	551/P-3/EMP-W-12765 dated 08.08.24	Corrigendum-I	

  
Dy.CE/HQR  
GGSSTP, Roopnagar.



## PUNJAB STATE POWER CORPORATION LIMITED

(Regd. Office - PSEB Head Office, The Mall, Patiala - 147001)  
Corporate identity Number U40109PB2010SGC033813 Website [www.pspcl.in](http://www.pspcl.in)

OFFICE OF THE CHIEF ENGINEER/GGSSTP  
(Dy.CE/Headquarter)

PURCHASE CELL-III, V&P.O. GHANAULI, ROOPNAGAR-140113  
Phone no. 01881-275289 E-mail : se-hq-ggsstp-ropar@pspcl.in

### CORRIGENDUM -I

The receipt and opening of Press Tender Enq. 551/P-3/EMP-W-12785 dated 08.08.24 for Replacement of damaged Pipe Lines of Fire hydrant system installed in CHP area at GGSSTP, Rupnagar has now been extended upto **09.10.24** and shall be received upto 11.00 A.M. and opened at 11.30 A.M. on the same date. Last date for sale of tender documents has also been re-fixed as 07.10.24 upto 5.00 P.M.

All other terms and conditions of NIT shall remain the same.

*Detailed NIT may be down-loaded  
from PSPCL's Website ([www.pspcl.in](http://www.pspcl.in))*

-SD-  
Dy.CE /HQR,  
GGSSTP, Rupnagar