



**Punjab State Power Corporation Limited**

Regd. Office: PSEB Head Office, The Mall Patiala-147001.

Corporate Identity Number: U40109PB2010SGC033813 Website : www.pspcl.in

Office of Senior Architect, PSPCL, Patiala

Email: chief-architect1@pspcl.in

ਵੱਲੋਂ.

All Er-in-Chief/Chief Engineer,  
Operation Zone, PSPCL

Through Website Only

ਮੀਮੇ ਨੰ: 43/47

ਮਿਤੀ: 17-01-25

ਵਿਸ਼ਾ:

Tableau for the occasion of Republic Day 2025. (State Level & District Level Function)

ਹਵਾਲਾ:

ਉਪ ਸਕੱਤਰ/ਪਬਲਿਕ ਰਿਲੇਸ਼ਨ, ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ., ਪਟਿਆਲਾ ਜੀ ਦੇ ਮੀਮੇ ਨੰ. 29 ਮਿਤੀ 17.01.2025

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ 26 ਜਨਵਰੀ 2025 ਗਣਤੰਤਰ ਦਿਵਸ ਮਨਾਉਣ ਲਈ ਪਾਵਰਕਾਮ ਵਲੋਂ ਝਾਂਕੀ ਪੇਸ਼ ਕਰਨ ਸਬੰਧੀ ਪੱਤਰ ਪ੍ਰਾਪਤ ਹੋਇਆ ਹੈ। ਇਸ ਦਫ਼ਤਰ ਵੱਲੋਂ ਇਸ ਸਬੰਧ ਵਿੱਚ State Level ਅਤੇ District Level ਸਮਾਗਮ ਸਬੰਧੀ ਝਾਂਕੀ ਦੀਆਂ Drawings ਤਿਆਰ ਕੀਤੀਆਂ ਗਈਆਂ ਹਨ (ਕਾਪੀ ਨੱਥੀ) ਜੋ ਕਿ ਆਪਜੀ ਨੂੰ ਅਗਲੇਰੀ ਕਾਰਵਾਈ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦੀਆਂ ਹਨ ਜੀ।

ਨੱਥੀ: ਉਪਰੋਕਤ ਅਨੁਸਾਰ

ਸੀਨੀਅਰ ਆਰਕੀਟੈਕਟ  
ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ., ਪਟਿਆਲਾ।

ਸੀ.ਸੀ.

43/47  
17-1-25


- 1) ਮੁੱਖ ਇੰਜੀ: / ਸਿਵਲ ਡਿਜ਼ਾਇਨ ਅਤੇ ਉਸਾਰੀ, ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ., ਪਟਿਆਲਾ।
- 2) ਉਪ ਸਕੱਤਰ/ ਪਬਲਿਕ ਰਿਲੇਸ਼ਨ, ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ., ਪਟਿਆਲਾ।

**SPECIAL NOTE:**

CHIEF ENGINEERS MAY DECIDE THE SLOGANS TO BE DISPLAYED ON TABLEAU AT THEIR OWN LEVEL AS PER THE LIST OF ACHIEVEMENTS ISSUED BY DY. SECTT/PUBLIC RELATIONS P5PCL PATIALA VIDE HIS OFFICE MEMO NO. 29 DATED 17-01-2025 .

**NOTE**

THIS DRG. IS APPLICABLE FOR TABLEAU AT DISTRICT LEVELS ONLY.



ROAD LEVEL HAS BEEN ASSUMED AS ± 0

PLAN OF TABLEAU

PROPOSED TABLEAU HAS BEEN DONE IN VIEW OF LETTER RECEIVED FROM DY. SECTT./PUBLIC RELATIONS P5PCL,PATIALA VIDE HIS OFFICE MEMO NO. 29 DATED 17/01/2025.

PUNJAB STATE  
POWER CORPORATION LTD.  
PATIALA.

OFFICE OF SENIOR ARCHITECT

**NOTES**

1. FINISHED SIZE OF THE TABLEAU IS INDICATIVE. ADJUSTMENT MAY BE MADE AS PER THE SIZE OF THE TRAILOR AVAILABLE.
2. ALL VERTICAL DIMENSIONS SHALL BE TAKEN FROM THE ROAD LEVEL.
3. SHADES OF PLASTIC PAINT SHOWN IN THE DRG ARE BASED ON THE SHADE CARD OF ASIAN PAINT
4. FLAME COLOUR SATIN CLOTH SHALL BE USED FOR JHHALLAR.
5. CUTOUPS, LEFT FOR THE CONVENIENCE OF THE DRIVER, SHALL BE ADJUSTED AS PER SITE.
6. THE LOWER MOST PORTION OF THE FLY MAY BE ADJUSTED AS PER SITE.

**SPECIAL NOTES**

1. NO WORK AS PER THIS DRG. SHALL BE TAKEN IN HAND WITHOUT OBTAINING PRIOR ADMINISTRATIVE APPROVAL/TECHNICAL SANCTION OF ESTIMATES AND ALLOCATION OF FUNDS FROM THE COMPETENT AUTHORITY.
2. ANY MATERIAL, OTHER THAN THE SPECIFIED MATERIALS, HAVING SIMILAR OR BETTER SPECIFICATIONS, SHADE & DESIGN CAN ALSO BE USED.

SENIOR ARCHITECT  
(EX. RAVINDER SINGH)

ARCHITECT  
(EX. SAKSHI SINGHI)

ASST. ARCHITECT  
(AR. MONA)

ASST. ARCHITECT  
(AR. VIJEN KAPURIA)

DESIGN OF P.S.P.C.L. TABLEU FOR  
REPUBLIC DAY CELEBRATION  
ON 26TH. JANUARY 2025

**PLAN**

SCALE NTS      DATE 17-01-2025

DRG NO. ARCH/1-4      JOB NO. 1347

FILE NO. 4719




**SPECIAL NOTE:**

CHIEF ENGINEERS MAY DECIDE THE SLOGANS TO BE DISPLAYED ON TABLEAU AT THEIR OWN LEVEL AS PER THE LIST OF ACHIEVEMENTS ISSUED BY DY. SECTT/PUBLIC RELATIONS PSPCL PATIALA VIDE HIS OFFICE MEMO NO. 29 DATED 17-01-2025 .

**NOTE**

THIS DRG. IS APPLICABLE FOR TABLEU AT DISTRICT LEVELS ONLY.



LEFT SIDE ELEVATION

PROPOSED TABLEU HAS BEEN DONE IN VIEW OF LETTER RECEIVED FROM DY. SECTT/PUBLIC RELATIONS PSPCL,PATIALA VIDE HIS OFFICE MEMO NO. 29 DATED 17/01/2025.

PUNJAB STATE  
POWER CORPORATION LTD.  
PATIALA.

OFFICE OF SENIOR ARCHITECT

**NOTES**

1. FINISHED SIZE OF THE TABLEU IS INDICATIVE, ADJUSTMENT MAY BE MADE AS PER THE SIZE OF THE TRAILOR AVAILABLE.
2. ALL VERTICAL DIMENSIONS SHALL BE TAKEN FROM THE ROAD LEVEL.
3. SHADES OF PLASTIC PAINT SHOWN IN THE DRG ARE BASED ON THE SHADE CARD OF ASIAN PAINT.
4. FLAME COLOUR SATIN CLOTH SHALL BE USED FOR JPHALLAR.
5. CUTOUTS, LEFT FOR THE CONVICNE OF THE DRIVER SHALL BE ADJUSTED AS PER SITE.
6. THE LOWER MOST PORTION OF THE PLY MAY BE ADJUSTED AS PER SITE.

**SPECIAL NOTES**

1. NO WORK AS PER THIS DRG. SHALL BE TAKEN IN HAND WITHOUT OBTAINING PRIOR ADMINISTRATIVE APPROVAL/TECHNICAL SANCTION OF ESTIMATES AND ALLOCATION OF FUNDS FROM THE COMPETENT AUTHORITY.
2. ANY MATERIAL, OTHER THAN THE SPECIFIED MATERIALS, HAVING SIMILAR OR BETTER SPECIFICATIONS, SHADE & DESIGN CAN ALSO BE USED.

SENIOR ARCHITECT  
(MR. RAVINDER SINGH)

ARCHITECT  
(MR. SHIVDARA SINGH)

ASST ARCHITECT  
(MR. MONA)

ASST ARCHITECT  
(MR. VIPEN KAPURIA)

DESIGN OF P.S.P.C.L. TABLEU FOR  
REPUBLIC DAY CELEBRATION  
ON 26TH. JANUARY 2025

**LEFT SIDE ELEVATION**

SCALE NTS

DATE 17 -01- 2025

DRG NO. ARCH/3.4

JOB NO. 1347


FILE NO. 4719

**SPECIAL NOTE:**


CHIEF ENGINEERS MAY DECIDE THE SLOGANS TO BE DISPLAYED ON TABLEAU AT THEIR OWN LEVEL AS PER THE LIST OF ACHIEVEMENTS ISSUED BY DY. SECTY/PUBLIC RELATIONS PSPCL PATIALA VIDE HIS OFFICE MEMO NO. 29 DATED 17-01-2025 .

**NOTE**

THIS DRG. IS APPLICABLE FOR TABLEU AT DISTRICT LEVELS ONLY.



REAR ELEVATION



FRONT ELEVATION

PROPOSED TABLEU HAS BEEN DONE IN VIEW OF LETTER RECEIVED FROM DY. SECTY/PUBLIC RELATIONS PSPCL,PATIALA VIDE HIS OFFICE MEMO NO. 29 DATED 17/01/2025.

PUNJAB STATE  
POWER CORPORATION LTD.  
PATIALA.

OFFICE OF SENIOR ARCHITECT

NOTES

1. FINISHED SIZE OF THE TABLEU IS INDICATIVE. ADJUSTMENT MAY BE MADE AS PER THE SIZE OF THE TRAILOR AVAILABLE.
2. ALL VERTICAL DIMENSIONS SHALL BE TAKEN FROM THE ROAD LEVEL.
3. SHADES OF PLASTIC PAINT SHOWN IN THE DRG ARE BASED ON THE SHADE CARD OF ASIAN PAINT.
4. FLAME COLOUR SATIN CLOTH SHALL BE USED FOR JITHALLAR.
5. CUTOUTS, LEFT FOR THE CONVICIENCE OF THE DRIVER, SHALL BE ADJUSTED AS PER SITE.
6. THE LOWER MOST PORTION OF THE FLY MAY BE ADJUSTED AS PER SITE.

SPECIAL NOTES

1. NO WORK AS PER THIS DRG. SHALL BE TAKEN IN HAND WITHOUT OBTAINING PRIOR ADMINISTRATIVE APPROVAL/TECHNICAL SANCTION OF ESTIMATES AND ALLOCATION OF FUNDS FROM THE COMPETENT AUTHORITY.
2. ANY MATERIAL, OTHER THAN THE SPECIFIED MATERIALS, HAVING SIMILAR OR BETTER SPECIFICATIONS, SHADE & DESIGN CAN ALSO BE USED.

SENIOR ARCHITECT  
(ER. RAVINDR SINGH)

ARCHITECT  
(ER. SARDARA SINGH)

ASST ARCHITECT  
(AR. MONA)

ASST ARCHITECT  
(AR. VIPEN KAPURJIA)

DESIGN OF P.S.P.C.L. TABLEU FOR  
REPUBLIC DAY CELEBRATION  
ON 26TH. JANUARY 2025

FRONT & REAR ELEVATION

SCALE NT5

DATE 17 -01- 2025

DRG NO. ARCHV4-4

JOB NO. 1347

FILE NO. 4719

**PUNJAB STATE POWER CORPORATION LIMITED**  
**(Public Relations Office)**

**(MOST URGENT)**

To

Dy. C.E./Civil Design,  
PSPCL. Patiala

Memo No. 29

Date: 17-1-25

**Subject: Presentation of a Tableau for Republic Day 2025 Celebrations.**

It has been decided that a tableau will be displayed at each district headquarters to highlight the achievements of PSPCL across various fields.

For the Republic Day function, where the Honourable Chief Minister of Punjab is hoisting the National Flag, a budget of up to INR 3 lakhs may be allocated for the tableau & for the Honourable Governor of Punjab a budget of up to INR 2 lakhs may be allocated. For similar functions at other district headquarters, tableaux may have a budget of up to INR 1 lakh each. The expenditure will be incurred by the respective Engineer-in-Chief of each operation zone from their own budget.

The designs for the tableaux should be prepared and supplied to each Engineer-in-Chief/Chief Engineer of the Operation Zones to ensure timely readiness of the tableaux.

This is issued with the approval of the competent authority.

Enclosure: List of Achievements

Sincerely,  
*GK Dharma*

Deputy Secretary/Public Relations  
PSPCL. Patiala.



ਪੀ.ਐਸ.ਪੀ.ਸੀ.ਐਲ ਦੀਆਂ 01.04.2024 ਤੋਂ 30.11.2024 ਤੱਕ ਕੀਤੀਆਂ ਪ੍ਰਾਪਤੀਆਂ

1. **ਭਰਤੀ (from 01/04/24 to till date)-**
  - ਅਪ੍ਰੈਲ 2024 ਤੋਂ ਹੁਣ ਤੱਕ PSPCL/ PSTCL ਵਿੱਚ ਕੁੱਲ 1351 ਨੰ. ਭਰਤੀ ਕੀਤੀ ਗਈ, ਇਸ ਵਿੱਚੋਂ ਸਿੱਧੀ ਭਰਤੀ 1351 (PSPCL ਵਿੱਚ 1351 ਅਤੇ PSTCL ਵਿੱਚ 0) ਅਤੇ 341 ਨੰ. ਹਮਦਰਦ ਨਿਯੁਕਤੀਆਂ (PSPCL ਵਿੱਚ 340 + PSTCL ਵਿੱਚ 1)।
  - ਇਸ ਤੋਂ ਇਲਾਵਾ PSPCL ਵਿੱਚ 1288 ਅਸਾਮੀਆਂ (ਅਸਿਸਟੈਂਟ ਇੰਜੀਨੀਅਰ (AEs) ਜੂਨੀਅਰ ਇੰਜੀਨੀਅਰ (ਜੇ.ਈ), ਸਹਾਇਕ ਸਬ-ਸਟੇਸ਼ਨ ਅਟੈਂਡੈਂਟ (ਏ.ਐਸ.ਏ), ਇਲੈਕਟ੍ਰੀਸ਼ਨ/ਟੈਕਨੀਸ਼ੀਅਨ ਗ੍ਰੇਡ-2 ਆਦਿ) ਦੀ ਭਰਤੀ ਪ੍ਰਕਿਰਿਆ ਅਧੀਨ ਹਨ ਜੋ ਮਾਰਚ 2025 ਤੱਕ ਪੂਰੀ ਹੋ ਜਾਵੇਗੀ।
2. **ਵੱਧ ਤੋਂ ਵੱਧ ਬਿਜਲੀ ਦੀ ਮੰਗ ਪੂਰੀ ਕੀਤੀ ਗਈ**
  - ਵੱਧ ਤੋਂ ਵੱਧ ਮੰਗ 16058 ਮੈਗਾਵਾਟ 29 ਜੂਨ, 2024 ਨੂੰ ਪੂਰੀ ਹੋਈ।
  - ਖੇਤੀਬਾੜੀ ਲਈ 8 ਘੰਟਿਆਂ ਤੋਂ ਵੱਧ ਬਿਨ੍ਹਾਂ ਰੁਕਾਵਟ ਬਿਜਲੀ ਦਿੱਤੀ ਗਈ।
  - ਕਿਸੇ ਵੀ ਉਦਯੋਗਿਕ, ਰਿਹਾਇਸ਼ੀ ਜਾਂ ਵਪਾਰਕ ਖੇਤਰ ਤੇ ਕੋਈ ਪਾਵਰ ਕੱਟ ਨਹੀਂ ਲਗਾਇਆ ਗਿਆ।
3. **ਪਛਵਾੜਾ ਕੋਲ ਮਾਈਨ ਚਾਲੂ ਕੀਤੀ ਗਈ (from 01/04/24 to till date)-**
  - ਪਛਵਾੜਾ ਕੋਲ ਮਾਈਨ ਮਾਰਚ 2015 ਵਿੱਚ ਅਲਾਟ ਕੀਤੀ ਗਈ, ਮਾਈਨ ਨੂੰ ਦਸੰਬਰ 2022 ਵਿੱਚ ਚਾਲੂ ਕੀਤਾ ਗਿਆ।
  - 50.84 ਲੱਖ ਮੀਟ੍ਰਿਕ ਟਨ (1277 ਰੈਕ) ਕੋਲਾ ਪ੍ਰਾਪਤ ਹੋਇਆ ਜਿਸ ਨਾਲ 11 ਕਰੋੜ ਰੁਪਏ ਪ੍ਰਤੀ 1.0 ਲੱਖ ਮੀਟ੍ਰਿਕ ਟਨ ਦੀ ਬਚਤ ਕੋਲ ਇੰਡੀਆ ਲਿਮਿਟਿਡ (CIL) ਕੋਲੇ ਦੀ ਤੁਲਨਾ ਵਿੱਚ ਹੋਈ। ਜਿਸ ਨਾਲ ਕੁੱਲ ਬਚਤ 593 ਕਰੋੜ ਰੁਪਏ ਹੋਈ।
  - ਥਰਮਲ ਪਲਾਂਟਾਂ ਵਿੱਚ ਕੋਲੇ ਦੀ ਕੋਈ ਕਮੀ ਨਹੀਂ ਅਤੇ ਰੋਪੜ ਵਿੱਚ 43 ਦਿਨਾਂ, ਲਹਿਰਾ ਮੁਹੱਬਤ ਵਿੱਚ 27 ਦਿਨਾਂ ਅਤੇ ਗੋਇੰਦਵਾਲ ਸਾਹਿਬ ਵਿੱਚ 37 ਦਿਨਾਂ ਦਾ ਸਟਾਕ ਮੌਜੂਦ ਹੈ।
4. **ਗੁਰੂ ਅਮਰਦਾਸ ਥਰਮਲ ਪਲਾਂਟ (GATP) ਦਾ ਅਧਿਗ੍ਰਹਿ:**
  - 540 ਮੈਗਾਵਾਟ ਦਾ ਜੀ.ਵੀ.ਕੇ ਪਲਾਂਟ 2 ਕਰੋੜ ਰੁਪਏ ਪ੍ਰਤੀ ਮੈਗਾਵਾਟ ਤੇ ਹਾਸਲ ਕੀਤਾ ਗਿਆ। ਪ੍ਰਤੀ ਸਾਲ 350 ਕਰੋੜ ਰੁਪਏ ਤੋਂ ਵੱਧ ਦੀ ਬੱਚਤ।
  - ਪਲਾਂਟ ਦੀ ਪ੍ਰਾਪਤੀ ਤੋਂ ਬਾਅਦ, ਪਲਾਂਟ ਲੋਡ ਫੈਕਟਰ (PLF) ਵਜੋਂ ਬਿਜਲੀ ਉਤਪਾਦਨ ਦੁੱਗਣਾ ਹੋ ਗਿਆ ਹੈ। ਪਲਾਂਟ ਲੋਡ ਫੈਕਟਰ 35% ਤੋਂ 77% ਤੱਕ ਵਧਿਆ ਹੈ।
5. **ਟ੍ਰਾਂਸਮਿਸ਼ਨ ਸਮਰੱਥਾ (from 01/04/24 to till date)-:**
  - ਟ੍ਰਾਂਸਮਿਸ਼ਨ ਸਮਰੱਥਾ ਅਪ੍ਰੈਲ 2024 ਵਿੱਚ 9000 ਮੈਗਾਵਾਟ ਤੋਂ ਵੱਧ ਕੇ ਵਰਤਮਾਨ ਵਿੱਚ 9800 ਮੈਗਾਵਾਟ ਹੋ ਗਈ ਹੈ। ਇਸ ਤਰ੍ਹਾਂ ਨੈਸ਼ਨਲ ਗਰਿੱਡ ਤੋਂ ਵੱਧ ਬਿਜਲੀ ਦਰਾਮਦ ਨੂੰ ਸਮਰੱਥ ਬਣਾਉਂਦਾ ਹੈ।
6. **ਘਰੇਲੂ ਖਪਤਕਾਰਾਂ ਨੂੰ ਮੁਫਤ ਬਿਜਲੀ**
  - ਪੰਜਾਬ ਸਰਕਾਰ ਸਾਰੇ ਘਰੇਲੂ ਖਪਤਕਾਰਾਂ ਨੂੰ 600 ਦੋ-ਮਾਸਿਕ/ 300 ਮਾਸਿਕ ਯੂਨਿਟ ਮੁਫਤ ਪ੍ਰਦਾਨ ਕਰਦੀ ਹੈ।
  - 90% ਘਰੇਲੂ ਖਪਤਕਾਰਾਂ ਨੂੰ ਜ਼ੀਰੋ ਬਿੱਲ ਪ੍ਰਾਪਤ ਹੋਏ।
7. **ਸ਼ਾਹਪੁਰ ਕੰਡੀ ਹਾਈਡਲ ਪਾਵਰ ਪ੍ਰੋਜੈਕਟ ਦਾ ਨਿਰਮਾਣ**

- ਸ਼ਾਹਪੁਰ ਕੰਡੀ ਪਾਵਰ ਪ੍ਰੋਜੈਕਟ (206 ਮੈਗਾਵਾਟ) ਰਾਵੀ ਦਰਿਆ ਦੇ ਹੇਠਾਂ ਵੱਲ ਨਿਰਮਾਣ ਅਧੀਨ ਹੈ ਅਤੇ ਅਗਲੇ 1 ਸਾਲ ਦੇ ਅੰਦਰ ਚਾਲੂ ਹੋਣ ਦੀ ਉਮੀਦ ਹੈ।
  - ਇਸ ਪ੍ਰੋਜੈਕਟ ਤੇ 31.10.2024 ਤੱਕ 4305.2654 ਕਰੋੜ ਰੁਪਏ (Power component + Civil component) ਖਰਚ ਕੀਤੇ ਗਏ ਹਨ।
8. **ਸਾਫ਼ ਅਤੇ ਹਰੀ ਊਰਜਾ (from 01/04/24 to 30/11/24)-**
- ਸੂਰਜੀ ਊਰਜਾ : 01/04/2024 ਤੋਂ 30/11/2024 ਤੱਕ 1454 MW ਸੋਲਰ ਪਾਵਰ ਦੇ ਖਰੀਦ ਸਮਝੌਤੇ ਕੀਤੇ ਗਏ ਜਿਸਦੀ ਔਸਤ ਦਰ 2.52 ਰੁਪਏ/ ਯੂਨਿਟ ਤੋਂ 2.53 ਰੁਪਏ/ਯੂਨਿਟ ਹੈ। ਇਸ ਦੇ ਨਾਲ ਸਾਲ 2022 ਤੋਂ ਹੁਣ ਤੱਕ ਕੁੱਲ 3704 MW ਦੇ ਖਰੀਦ ਸਮਝੌਤੋਂ ਸਹੀ ਬੰਦ ਹੋ ਚੁੱਕੇ ਹਨ, ਜਿਸਦੀ ਔਸਤ ਦਰ 2.33 ਰੁਪਏ/ ਯੂਨਿਟ ਤੋਂ 2.76 ਰੁਪਏ/ਯੂਨਿਟ ਹੈ।
  - ਹਾਈਬ੍ਰਿਡ ਪਾਵਰ : 900 MW ਹਾਈਬ੍ਰਿਡ ਪਾਵਰ (ਸੋਲਰ ਤੇ ਪੌਣ ਊਰਜਾ) ਦੇ ਖਰੀਦ ਸਮਝੌਤੇ ਕੀਤੇ ਗਏ ਜਿਸਦੀ ਔਸਤ ਦਰ 3.22 ਰੁਪਏ/ ਯੂਨਿਟ ਤੋਂ 3.28 ਰੁਪਏ/ਯੂਨਿਟ ਹੈ।
  - ਰੂਫਟਾਪ ਸੋਲਰ: ਪੰਜਾਬ ਭਰ ਵਿੱਚ 430 ਮੈਗਾਵਾਟ ਦਾ ਰੂਫਟਾਪ ਦਾ ਸੋਲਰ ਲਗਾਇਆ ਗਿਆ।
9. **ਟਰਾਂਸਮਿਸ਼ਨ/ ਡਿਸਟ੍ਰੀਬਿਊਸ਼ਨ ਵਰਕਸ (from 01/04/24 to 30/11/24)**
- 5 ਨੰ. ਨਵੇਂ 66 ਕੇ.ਵੀ ਸਬ-ਸਟੇਸ਼ਨ ਚਾਲੂ ਕੀਤੇ ਅਤੇ 14 ਨੰ. ਪਾਵਰ ਟ੍ਰਾਂਸਫਾਰਮਰ ਦੀ ਸਮਰੱਥਾ ਵਧਾਈ ਗਈ/ਵਾਯੂ ਟਰਾਂਸਫਾਰਮਰ ਲਗਾਏ ਗਏ ਜਿਸ ਨਾਲ 780 MVA 66 K.V ਟ੍ਰਾਂਸਮਿਸ਼ਨ ਸਮਰੱਥਾ ਵਧਾਈ ਗਈ।
  - 26.99 ਕਿਲੋਮੀਟਰ 66 ਕੇ.ਵੀ. ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ ਜੋੜੀਆਂ ਗਈਆਂ।
  - 28 ਨੰ. ਪਾਵਰ ਟਰਾਂਸਫਾਰਮਰਾਂ (400/220/132 ਕੇ.ਵੀ.) ਦੀ ਸਮਰੱਥਾ ਵਧਾਈ ਗਈ/ਵਾਯੂ ਟਰਾਂਸਫਾਰਮਰ ਲਗਾਏ ਗਏ ਜਿਸ ਨਾਲ 2591 MVA ਟ੍ਰਾਂਸਮਿਸ਼ਨ ਸਮਰੱਥਾ ਵਧਾਈ ਗਈ।
  - 131 ਸਰਕਟ ਕਿਲੋਮੀਟਰ ਟਰਾਂਸਮਿਸ਼ਨ ਲਾਈਨਾਂ 400/220/132 ਕੇ.ਵੀ. ਸਬ-ਸਟੇਸ਼ਨਾਂ ਤੇ ਜੋੜੀਆਂ ਗਈਆਂ।
  - 2 ਨੰਬਰ ਨਵੇਂ(1 New 400 kV Ropar + 1 upgraded from 132 kV to 220 kV Gurdaspur) ਸਬ-ਸਟੇਸ਼ਨ ਚਾਲੂ ਕੀਤੇ ਗਏ ।
10. **RDSS (ਰਿਵੈਮਪਡ ਡਿਸਟ੍ਰੀਬਿਊਸ਼ਨ ਸੈਕਟਰ ਸਕੀਮ)**
- ਬਿਜਲੀ ਡਿਸਟ੍ਰੀਬਿਊਸ਼ਨ ਢਾਂਚੇ ਵਿੱਚ ਸੁਧਾਰ ਲਈ 9,563/- ਕਰੋੜ ਰੁਪਏ ਮਨਜ਼ੂਰ ਕੀਤੇ ਗਏ।
  - ਇਸ ਰਕਮ ਵਿੱਚੋਂ 60% ਦੀ ਗ੍ਰਾਂਟ ਭਾਰਤ ਸਰਕਾਰ ਤੋਂ ਪ੍ਰਾਪਤ ਕੀਤੀ ਜਾਵੇਗੀ।
11. **ਵਨਟਾਈਮ ਸੈਟਲਮੈਂਟ (OTS) ਸਕੀਮ (ਸਤੰਬਰ 2024)**
- ਇਹ ਸਕੀਮ 30.09.24 ਨੂੰ ਡਿਫਾਲਟ ਖਪਤਕਾਰਾਂ ਲਈ 3 ਮਹੀਨਿਆਂ ਲਈ ਸ਼ੁਰੂ ਕੀਤੀ ਗਈ ਸੀ, ਜਿਸ ਵਿੱਚ ਖਪਤਕਾਰਾਂ ਨੂੰ ਵਿਆਜ ਦੀ ਦਰ 18% ਤੋਂ ਘਟਾ ਕੇ 9% ਕੀਤੀ ਗਈ ਅਤੇ ਸਰਚਾਰਜ ਤੋਂ ਛੋਟ ਦਿੱਤੀ ਗਈ।