

Controller of Stores & Disposal (South), PSPCL, Patiala

E - Auction Notice EA/10/PTA-13

Date of Auction - 28.5.2013

Following Scrap Material is Offered for On-Line Forward E-Auction at the above mentioned date as per the prevailing PSPCL's Terms & Conditions of the E-Auction Sale (available on PSPCL web site www.pspcl.in) on "As - Is - Where - Is " basis.

A - Aluminium Conductor Steel Reinforced Scrap

Lot No.	Name of Store where material is lying	Quantity in MT
Lot no. A 1	Central Store, Kotkapura	40.0
Lot no. A 2	Central Store, Kotkapura (No. of days for payment / lifting - 45 days/ 60 days)	125.0
Lot no. A 3	Central Store, Ferozepur	45.0
Lot no. A 4	Central Store, Malout	58.0
Lot no. A 5	Central Store, Bathinda	40.0
Lot no. A 6	Central Store, Bathinda	35.0
Lot no. A 7	Store Outlet, Mansa	50.0
Lot no. A 8	Store Outlet, Patran	26.0

B - Damaged Distribution Transformer's HT/LT Aluminium coils scrap with insulation

Lot No.	Name of Store where material is lying	Quantity in MT
Lot no.B 1	TRY, Kotkapura (No. of days for payment / lifting - 45 days/ 60 days)	138.0
Lot no.B 2	TRY , Ferozepur	55.0
Lot no.B 3	TRY , Malout	34.0

C- PVC Aluminium Cables scrap as per detail given below -

PVC Aluminium Cables scrap			30.318 MT
Lot No.	Name of Store	Description of material	Quantity in MT
Lot no. C - 1	Patiala	2/Core PVC Aluminium Cable	17.416
		4/Core PVC Aluminium Cable	9.888
		3/Core XLPE Cable	3.014

D - Miscellaneous Iron scrap as per detail given below -

Miscellaneous Iron scrap			22.333 MT
Lot No.	Name of Store	Description of material	Quantity in MT
Lot no. D - 1	Ropar	<i>M.S Iron Scrap</i>	9.760
		<i>M S Rail Scrap</i>	3.204
		<i>MS Girder scrap</i>	0.170
		<i>T/F Body scrap</i>	3.708
		<i>GI Wire/GSL Scrap</i>	5.491

Lot No. E 1 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
1	16	6.3 KVA	MS-5, ARDISON-1, HR-2, NPC-1, SEF-1, DURABLE--1, PP-3, SIC-1, TA-1	981
2	16	6.3 KVA	MS-2, HR-2, SEF-1, TA-5, DRBL-1, PP-4, SIC-1	904
3	16	6.3 KVA	MS-3, HR-2, NPC-3, SEF-3, PBN-5,	967
4	16	6.3 KVA	MS-3, ARD-2, HR-5, NPC-3, JK-1, JB-1, PTEL-1	974
30	25	10 KVA	PAN-7, HR-3, MS-5, Durable-1, Skyway-5, Ard-1, Uttam-2, Nucon-1	2138
Total	89			5964

Lot No. E 2 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
7	16	6.3 KVA	MS-2, HR-3, NPC-4, PP-3, JB-2, MCPL-1, STAR-1	974
8	16	6.3 KVA	MS-2, NPC-3, JB-4, MCPL-3, PAN-4	955
9	16	6.3 KVA	MS-2, ARD-1, HR-4, TA-1, JB-3, STAR-1, BGL-1, PTEL-3	935
10	16	6.3 KVA	MS-4, HR-1, NPC-5, SIC-1, JB-3, PTEL-2	973
31	25	10 KVA	PAN-4, HR-5, MS-5, Hi Tech-3, Sky way- 2, Ard-1, Uttam-1,MCPL-1,Sushil-2, JK-1	2083
Total	89			5920

Lot No. E 3 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
13	16	6.3 KVA	MS-4, ARD-1, HR-2, NPC-4, SEF-1, PBN-1, JB-3	975
14	16	6.3 KVA	MS-5, ARD-1, HR-1, NPC-2, SEF-2, JB-2, PTEL-3	961
15	16	6.3 KVA	MS-2, NPC-4, DRBL-4, PP-1, JB-5	978
29	16	16 KVA	MS-8, TA-1, PP-1, UTTAM-4, S.SAHKTI-1, NSL-1	1878
32	25	10 KVA	Sushil-1,MCPL-2,JB-1,PAN-1,HR-2,MS-9,Muskan-1, Skyway-4, Ard-1, Uttam-2,PTEL-1	2101
Total	89			6892.6

Lot No. E 4 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
33	25	10 KVA	MCPL-2, JB-1, JK-1, Sushil-2, PAN-3, HR-2, MS-6, PTEL-1, Skyway-3, Ard-1, Uttam-2, SIC-1	2098
24	16	6.3 KVA	MS-5, HR-2, NPC-2, SEF-3, PP-1, JK-1, JB-1, MCPL-1	929
25	16	6.3 KVA	MS-6, HR-2, NPC-1, JB-5, PTEL-2	911
26	13	6.3 KVA	MS-6, HR-1, SEF-1, MCPL-2, BGL-1, PTEL-2	720
27	16	10 KVA	MS-5, HR-3, SIC-3, MCPL-1, PAN-1, S.WAY-2, UTTAM-1	1278
Total	86			5936

Lot No. E 5 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
20	16	6.3 KVA	MS-7, HR-6, PP-1, JB-1, PAN-1	909
21	16	6.3 KVA	MS-5, ARD-1, HR-3, SEF-4, MCPL-1, PTEL-1, MUSKAN-1	917
22	16	6.3 KVA	MS-3, HR-4, SEF-1, PP-1, PBN-1, JB-1, MCPL-4, BGL-1	933
28	16	10 KVA	MS-5, ARD-1, HR-2, SIC-1, PBN-2, MCPL-1, PAN-2, S.WAY-2	1331
34	25	10 KVA	Muskan-1, S.way-2, HR-3, HR-1, PP-1, JB-3, uttam-1, PTEL-1, Nucon-2, PAN-3, MS-7	2103
Total	89			6193

Lot No. E 6 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malout

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
16	16	6.3 KVA	MS-4, HR-2, NPC-3, PP-1, PBN-5, JB-1	961
23	16	6.3 KVA	MS-5, SEF-4, PP-3, SIC-1, JB-1, PTEL-2	913
17	16	6.3 KVA	MS-3, HR-4, NPC-2, SEF-1, PBN-1, JK-1, JB-2, MSPL-1, HI TECH-1	962
35	25	10 KVA	PAN-2, MS-7, PP-2, SIC-1, MuSkan-1, Uttam-1, Sushil-1, MCPL-1, SICL-1, Sky Way-1, PTEL-1, GTB-1, HR-3, JB-1, Durable-1	2095
18	16	6.3 KVA	MS-4, HR-2, NPC-4, JB-3, MSPL-2, PAN-1	976
Total	89			5907

Lot No. E 7 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malout

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
36	18	16 KVA	PAN-1,MS-6, Shiv Shakti-4, Saraf-1, Muskan-1, Uttam-05	2106
11	16	6.3 KVA	MS-3, HR-6, NPC-4, SEF-1, PP-1, HI TECH-1	983
12	16	6.3 KVA	MS-6, ARD-1, HR-2, NPC-3, SEF-2, PP-1, JB-1	972
5	16	6.3 KVA	MS-4, NPC-1, SEF-1, SIC-1, PBN-6, JB-2, MCPL-1	951
6	16	6.3 KVA	MS-3, HR-6, NPC-2, PBN-1, JB-3, MCPL-1	966
19	16	6.3 KVA	MS-3, HR-2, NPC-3, DRBL-1, PP-1, PBN-1, JK-1, JB-3, MCPL-1	969
Total	98			6947

Lot No. E 8 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FERROZEPUR

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
11	25	6.3 KVA	JB-5, NPC-9, P.TECH-1, SIC-4, SUSHIL-1, MUSKAN-1, NUCON-2, PP-1, MRN-1	1528
12	25	6.3 KVA	SARAF-1, PTEL-2, NPC-10, JB-4, PP-3, NUCON-1, HI TEHC-1, SUSHIL-1, SIC-2	1508
13	25	6.3 KVA	JK-1, SIC-4, NPC-8, JB-4, SKS-1, NUCON-1, PTEL-3, S.WAY-1, HI TECH-1, SUSHIL-1	1523
80	20	10 KVA	DAUSA-1, JR-8, PTEL-4, AGGARWAL-2, DURABLE-1, SUSHIL-1, SIC-1, HI TECH-1, NUCON-1	1589
81	20	10 KVA	SIC-1, PAN-1, SARAF-1, JR-12, AGGARWAL-1, S.WAY-1, SUSHIL-1, PP-1, HI TECH-1	1544
Total	115			7692

Lot No. E 9 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FERROZEPUR

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
14	25	6.3 KVA	NUCON-5, NPC-6, PTEL-1, HI TEHC-2, SARAF-1, SIC-5, P.TECH-1, JR-1, JB-1, SKS-1, MRN-1	1500
15	25	6.3 KVA	PTEL-2, JB-2, SKS-3, MUSKAN-1, NPC-7, NUCON-2, MRN-3, HI TEHC-1, UBE-1, SUSHIL-1, GTB-1, SIC-1	1543
16	25	6.3 KVA	PTEL-1, NPC-9, SIC-6, SKS-1, PP-1, GTB-1, NUCON-4, JB-2	1516
91	20	16 KVA	JR-3, PP-4, SIC-3, UBE-3, NUCON-6, SSE-1	2040
92	20	16 KVA	NUCON-4, PP-2, SKF-1, SIC-1, UBE-4, RR-2, JR-5, DAUSA-1	2081
Total	115			8680

Lot No. E 10 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FERROZEPUR

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
17	25	6.3 KVA	JB-5, SKS-1, NPC-8, PP-1, PTEL-4, NUCON-1, MRN-2, S.WAY-1, UBE-1, SIC-1	1543
18	25	6.3 KVA	SIC-5, NUCON-1, HI TECH-1, NPC-11, PTEL-1, SARAF-1, MRN-1, JB-2, P.TECH-1, SKS-1	1541
19	25	6.3 KVA	NUCON-2, NPC-6, JB-3, SUSHIL-2, MRN-1, PTEL-3, SIC-5, PP-1, SKS-1, JK-1	1535
82	20	10 KVA	S.WAY-2, STAR-1, SIC-1, NUCON-1, JR-10, AGGARWAL-1, SKS-2, NPC-1, PTEL-1	1537
83	20	10 KVA	PTEL-2, SIC-1, SUSHIL-2, JR-8, MUSKAN-1, PTEL-1, AGGARWAL-1, AMSON-1, NPC-1, STAR-1, UBE-1	1584
Total	115			7740

Lot No. E 11 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FERROZEPUR

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
20	25	6.3 KVA	NPC-11, AGGARWAL-1, SIC-3, PTEL-4, NUCN-1, PP-1, SKS-1, JB-1, HI TECH-1, STAR-1	1539
21	25	6.3 KVA	JB-4, NPC-10, JB-3, SIC-4, NUCON-2, JM-2	1511
22	25	6.3 KVA	NPC-5, UBE-1, MUSKAN-2, P.TECH-1, PTEL-2, SUSHIL-1, SARAF-1, JB-2, HI TECH-1, SIC-4, TA-1, JR-4	1486
84	20	10 KVA	JR-9, JM-2, SIC-2, SARAF-1, NPC-1, PTEL-2, UBE-1, AGGARWAL-2	1531
85	20	10 KVA	JR-6, JB-1, PTEL-1, UBE-2, NUCON-2, SIC-2, HI TECH-1, SARAF-1, SKS-1, NPC-1, AMSON-1, UBE-1	1558
Total	115			7625

Lot No. E 12 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
57	20	10 KVA	SIC-4, NUCON-3, NPC-4, PP-2, PTEL-3, S.WAY-1 BGL-1, JR-1, PAN-1	1502
58	20	10 KVA	PTEL-5, SIC-9, HR-2, JB-1, BGL-1, MS-1, MCPL-1	1511
59	20	10 KVA	SIC-11, JR-1, HR-1, PTEL-3, PAN-1, PP-1, NUCON-2	1492
77	20	16 KVA	SIC-7, PTEL-12, MS-1	2290
78	20	16 KVA	PTEL-5, HR-2, SHIVALIK-7, MCPL-2, SIC-1, NUCON-3	2138
79	20	16 KVA	PTEL-6, SHIVALIK-10, JB-1, HR-1, NUCON-2	2111
Total	120			11044

Lot No. E 13 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
60	20	10 KVA	SIC-5, NUCON-1, SHIVALIK-8, BANSAL-1, MCPL-2, PTEL-1, JR-1, ARDISON-1	1506
61	20	10 KVA	SIC-8, HR-5, PTEL-1, MCPL-3, MS-1, JB-2	1587
62	20	10 KVA	HR-2, SIC-13, SUSHIL-1, PTEL-2, P-1, MCPL-1	1495
80	20	16 KVA	PTEL-4, SUSHIL-4, SIC-8, NPC-1, MCPL-2, ARDISON-1	2265
81	20	16 KVA	SIC-4, HR-2, PTEL-7, NUCON-3, MS-2, SUSHIL-1, MCPL-1	2198
82	20	16 KVA	NUCON-1, PTEL-7, HR-2, SIC-8, MS-1, UTTAM-1	2256
Total	120			11307

Lot No. E 14 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
63	20	10 KVA	PTEL-3, MCPL-3, HR-2, S.WAY-1, SIC-5, MCPL-2, JR-1, ARDISON-1, NUCON-1, SUSHIL-1	1572
64	20	10 KVA	MS-2, NCP-1, SIC-11, MCPL-1, S.WAY-1, HI TECH-1, NUCON-1, PTEL-1, JB-1	1522
65	20	10 KVA	PTEL-6, ARDISON-1, SHIVALIK-3, SIC-7, HI TEHC-1, HR-2	1507
83	20	16 KVA	HR-4, PTEL-6, SHIVALIK-7, SIC-1, NUCON-2	2163
84	20	16 KVA	SIC-3, PTEL-8, MCPL-3, DURABLE-1, HR-1, NUCON-1, SHIVALIK-2, MUSKAN-1	2252
85	20	16 KVA	HR-4, SIC-2, NUCON-3, PTEL-6, SUSHIL-1, SHIVALIK-2, TA-1, MC-1	2178
Total	120			11194

Lot No. E 15 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Sangrur

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
144	25	6.3 KVA	MRN-4, NUCON-2, PTEL-3, JB-4, SIC-8, NPC-3,	1512
145	25	6.3 KVA	JB-3, GTB-1, SURAT-1, MRN-2, SIC-10, MUSKAN-1, STAR-2, NUCON-1, NPC-3, AMSON-1	1519
170	20	16 KVA	HARIT-1, HR-4, BGL-2, NUCON-4, UTTAM-2, SARAF-1, JB-1, M. S. -2, NPC-1, HI TEHC-1, JR-1	2186
171	20	16 KVA	HARIT-1, HR-6, BGL-2, NUCON-5, UTTAM-2, NPC-2, MS-1, SARAF-1	2185
172	20	16 KVA	PTEL-1, HR-5, NUCON-3, S.K -1, DURABLE-1, MUSKAN-1, M.S.-2, NPC-1, SIC-2, UTTAM-1, JB-1, JR-1	2197
Total	110			9599

Lot No. E 16 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Sangrur

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
146	25	6.3 KVA	NPC-2, MRN-2, SIC-7, HI-TECH-3, JB-4, NUCON-2, MUSKAN-2, PPI-1, PTEL-2	1521
147	24	6.3 KVA	STAR-2, ARDISON-1, MRN-4, SIC-8, PPI-1, JB-3, S.WAY-1, PTEL-1, NPC-2, MUSKAN-1	1454
173	20	16 KVA	NUCON-5, SIC-2, JR-1, HR-4, PP-1, NPC-1, S.S.-1, UTTAM-1, MS-2, MUSKAN-1, SARAF-1	2147
174	20	16 KVA	HR-7, MS-2, UTTAM-2, JB-2, NPC-2, NUCON-1, S.S.-2, SK.-1, PTEL-1	2239
175	20	16 KVA	SIC-1, S.S.-1, NPC-2, HR-8, MS-7, PTEL-1	2310
Total	109			9671

Lot No. E 17 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Sangrur

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
161	25	10 KVA	PP-2, NUCON-1, NPC-1, BANSAL-1, HI TECH-2, BGL-1, HR-2, M. SHAKTI-6, S.WAY-3, JB-3, SUSHIL-1, PAN-1, SIC-1	1931
162	25	10 KVA	PP-1, NUCON-2, NPC-2, BANSAL-3, JR-1, BGL-2, UTTAM-5, M.SH-2, S.WAY-3, GTB-3, JB-1	1822
163	25	10 KVA	SUSHIL-3, BGL-1, GTB-2, STAR-2, PP-2, SIC-2, S.WAY-3, STAR-1, JR-1, NPC-3, M.SHAKTI-2, PP-1, JK-2	1823
164	25	10 KVA	PP-1, NUCON-2, NPC-2, BANSAL-1, STAR-1, SARAF-1, UTTAM-1, M.S.-2, S.WAY-1, JB-2, MECA-1, GTB-1, PTEL-2, SUSHIL-3, PAN-1, JR-1, SIC-2	1893
176	20	16 KVA	JB-1, HR-7, MS-7, UTTAM-1, SIC-1, S.S.-1, BGL-1, HI TEHC-1	2289
177	20	16 KVA	SIC-3, NUCON-5, PTEL-3, BGL-2, NPC-1, JR-1, M.S.-2, PP-1, S.S.-1, HR-1	2181
Total	140			11939

Lot No. E 18 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotakpura

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/107/13	20	6.3 KVA	JR-2 , SIC-1, JB-2, JM-6, NUCON-1, DTPL-2, MRN-2, PTEL-1, SEF-1, H.R.POWER-1, SKYWAY-1	1195
KKK/108/13	20	6.3 KVA	NPC-3, H.R.POWER-1, DTPL-3, MRN-3, JR-2, JM-1, PP-3, SUSHIL-1,SIC-2, SEF-1	1188
KKK/109/13	20	6.3 KVA	JM-4, SEF-2, JR-8, MRN-3, NPC-1, BGL-1, PTEL-1	1184
KKK/110/13	20	6.3 KVA	JM-3, PTEL-1,SIC-1, JB-4, MRN-3, RDSON-2, HRPOWER-1, SKYWAY-1, JR-4	1202
KKK/98/13	20	16 KVA	NUCON-2, JR-5, NPC-1, MRN-1, DTPL-3, SHIVSHAKTI-2, UTTAM-2, TA-1, PP-2, NSL-1	2143
KKK/136/13	20	10 KVA	SIC-2, JB-1, HI TECH-2, NSL-1, JR-3, JM-2, PP-6, UTTAM-1 , PTEL-2	1571
Total	120			8484

Lot No. E 19 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotakpura

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/111/13	20	6.3 KVA	JM-3, PTEL-1,SIC-2, JB-2, MRN-1, NPC-1, SUSHIL-1, JR-9	1183
KKK/112/13	20	6.3 KVA	JM-2, JR-8, MRN-3, JB-1, PP-2, BGL-1, NUCON-1, SHIVALIK-1, MUSKAN-1	1162
KKK/113/13	20	6.3 KVA	JM-6, JR-3, MR-3, NUCON-2, HRPOWER-4, NPC-1, SEF-1	1177
KKK/114/13	20	6.3 KVA	SEF-1, AGGARWAL-1, JM-3, JR-11, NPC-1, MUSKAN-1, MRN-2,	1168
KKK/138/13	20	10 KVA	JR-6, DTPL-3, PP-2, KISSAN-1, JM-5, GTB-1, NPC-1, JB-1	1554
KKK/141/13	20	16 KVA	NPC-2, SIC-1, HITECH-1, UTTAM-1, PP-3, SKYWAY-1, JR-2, DTPL-4, NSL-1, SKSU-1, TA-1, NUCON-1, MUSKAN-1	2127
Total	120			8371

Lot No. E 20 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotakpura

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/115/13	20	6.3 KVA	JR-10, MRN-2, JB-3,SEF-3, JM-1, NUCON-1,	1168
KKK/116/13	20	6.3 KVA	MRN-5, PTEL-4, DTPL-3,JB-1, SIC-1, SHIVALIK-1, SEF-1, JR-2, PP-2	1212
KKK/117/13	20	6.3 KVA	MRN-3, DTPL-9,SEF-1, SHIVALIK-3, PP-1, JR-1, PAN-1, MRN-1	1214
KKK/118/13	20	6.3 KVA	MRN-3, DTPL-4, PP-2, PAN-2, NPC-1, JM-2, AGGARWAL-1, SHIVALIK-1, JB-1, HRPOWER-3	1204
KKK/143/13	20	10 KVA	PP-3, PTEL-2, JB-4, JM-3, UTTAM-1, SKYWAY-1, JR-4, NPC-1, DTPL-1	1574
KKK/146/13	20	10 KVA	JR-6, NPC-1, SIC-1, PTEL-2, AGGARWAL-2, ARDISON-1, PP-4, JM-2,DTPL-1	1586
Total	120			7958

Lot No. E 21 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotakpura

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/119/13	20	6.3 KVA	DTPL-8, SHIVALIK-2, JR-4, SEF-2, UTTAM-1, PTEL-1, NEWBANSAL-1, SIC-1	1208
KKK/121/13	20	6.3 KVA	JR-7, JM-1, DTPL-1, MRN-3, HRPOWER-1, JB-2, SIC-2, NPC-1, PP-1, SKSU-1	1186
KKK/122/13	20	6.3 KVA	JR-4, SEF-3, SIC-2, MRN-1, SUSHIL-1, JK-1, NUCON -1, JM-1, SKSU-1, JB-1, TA-1, PAN-1,SHIVALIK-2,	1151
KKK/123/13	20	6.3 KVA	PTEL-2, SHIVALIK-1, PP-2, NUCON-2, JR-2, MRN-5, HRPOWER-2, UTTAM-1, JM-1, DTPL-2	1141
KKK/149/13	20	16 KVA	JR-1, NSL-4, NPC-2, MUSKAN-1, PP-6, DTPL-3, TA-1, NEW BGL-1, HI TECH-1	2068
KKK/152/13	20	10 KVA	JR-7, JB-4, NPC-1, JM-2, PTEL-2, MRN-1, PP-3	1541
Total	120			8295

Lot No. E 22 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotakpura

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/124/13	20	6.3 KVA	PP-5, MRN-4, NPC-1, DTPL-4, NUCON-1, PTEL-1, SEF-2, GR-1, TA-1	1185
KKK/126/13	20	6.3 KVA	JR-9, PTEL-1, JB-1, JM-2, SIC-1, TA-2, SEF-1, SHIVALIK-2, SUSHIL-1	1153
KKK/127/13	20	6.3 KVA	JB-1, JR-5, TA-1, SIC-2, JM-1, HRPOWER-1, NPC-2, UTTAM-1, DTPL-2, POWERTECH-1, PP-2, PTEL-1	1191
KKK/128/13	20	6.3 KVA	DTPL-5, MRN -3, SIC-3, NUCON-1, GTB-1, SEF-1, HRPOWER-2, TA-1, JR-2, JM-1	1187
KKK/155/13	20	10 KVA	JR-6, JM-6, PP-3, SIC-1, JB-1, DTPL-1, NPC-1, AGGARWAL-1	1557
KKK/157/13	20	10 KVA	DTPL-1, TA-1, JR-6, JB-1, AGGARWAL-1, JM-2, NPC-1, HI TECH-1, NSL-1, SKSU-1, PP-1, ECOPOWER-1, KISSAN-1. SIC-1	1509
Total	120			7783

Lot No. E 23 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotakpura

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/129/13	20	6.3 KVA	JM-1, SEF-1, DTPL-5, MRN-2, BANSAL-1, JR-1, NUCON -1, TA-2, AGGARWAL-1, POWERTECH-1, UTTAM-1, NPC-1, SHIVALIK-2	1189
KKK/130/13	20	6.3 KVA	NPC-2, PP-1, MRN-3, SEF-2, SIC-1, JR-2, SHIVALIK-3, STAR-1, GTB-1, DTPL-3, MUSKAN-1	1208
KKK/106/13	20	10 KVA	JR-7, JM-7, SUSHIL-2, SEF-1, SKYWAY-1, SIC-1, PAN-1,	1572
KKK/120/13	20	10 KVA	JR-5, AMSON-1, SIC-2, DTPL-4, SUSHIL-2, SKSU-1, AGGARWAL-1, PP-1, JB-1, MUSKAN-1, PTEL-1	1590
KKK/125/13	20	10 KVA	JR-9, JB-1, SKYWAY-2, PP-1, DTPL-2 AMSON-1 SIC-1, SEF-1, JM-2,	1561
KKK/162/13	20	10 KVA	JR-6, MRN-1, JB-1, HI TECH-1, NPC-2, AGGARWAL-1, DTPL-2, JM-2, UTTAM-1, KISSAN-1, PTEL-2	1563
Total	120			8682

Lot No. E 24 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Bathinda

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
130	25	6.3 KVA	PCE-1,JK-2,Sushil-1,NPC-8,GTB-5,SIC-2,NPC-1,Skyway-2,JB-2,Mahashakti-1,	1526
131	25	6.3 KVA	MRN-3,HiTech-2,JTB-1,SIC-5,NPC-3,JB-3,JK-3,PBN-4,Hitech-1,HRpower-1	1484
132	25	6.3 KVA	Sushil-1,GTB-1,HTT-1,NPC-3,JB-60,SIC-6,HRpower-1,PTEL-2,JR-1,Star-1,Mashakti-1,	1495
135	25	10 KVA	Nucon-4,Mahashakti-3,SIC-3,PBN-2,PP-4,NPC-2,GTB-1,JR-1,Star-3,JK-1,PTEL-1	2046
136	25	10 KVA	Mahashkti-1,JK-4,Sushil-1,SIC-2,JB-6,Nucon 4,Star-1,Bansal-1,PTE-2,Uttam-1,PP-1,NPC-1	2061
Total	125			8612

Lot No. E 25 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Bathinda

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
133	25	6.3 KVA	NPC-6,JB-2,Star-2,JR-3,SIC-3,PTEL-3,HRpower-1,Nucon-2,Mahashkti-1,GTB-1,amson-1	1490
134	25	6.3 KVA	SIC-2,NPC-5,JB-3,HRpower-2,JK-1,PP-1,Star-1,Amson-1,Shivshakti-1,Skyway-1,GTB-2,PTEL-1,Saraf-1,MRN-1,JM1,JR-1	1516
137	25	10 KVA	Uttam-3, JB-5, Nucon-3, JK-2, Mahashakti-1, Amson-1, Star-2, PBN-1, Sushil-4, PP-2, NPC-1	2078
138	25	10 KVA	Uttam-2, JB-, SIC-1, PP-2, NPC-1, PBN-5, Star-2, Hitech-3, JB-5, Bansal-1, PTEL-2, Nucon-1	1976
139	25	10 KVA	PBN-2, Mahashakti-4, Uttam-3, HR-1, Hitech-3, JB-3, SIC-3, Amson-1, Bansal-1, Nucon-1, PP-1, Sushil-1, Muskan-1	2043
Total	125			9103

Lot No. E 26 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Barnala

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
142	25	6.3 KVA	SIC-8, PP-2, PTEL-6, NPC-2, NUCON-4, NSL-1, S.SHAKTI-1, MRN-1	1507
143	25	6.3 KVA	MRN-3, PTL-7, JK-2, NUCON-4, NPC-4, MUSKAN-1, GTB-2, JB-1, SIC-1	1524
144	25	6.3 KVA	NUCON-1, PP-2, MRN-5, MUSKAN-1, PTEL-5, STAR-2, JB-1, NPC-3, GTB-1, SIC-4	1497
155	25	10 KVA	JR-2, SIC-3, MRN-3, PP-6, NUCON-4, PTEL-3, NPC-2, UTTAM-1, SUSHIL-1	1975.3
156	25	10 KVA	PTEL-5, JR-1, SUSHIL-2, STAR-1, NPC-2, NUCON-2, JB-2, MCPL-1, MRN-1, UTTAM-5, PP-1, SKYWAY-2	2076.6
174	20	16 KVA	JR-3, HITECH-2, PP-3, SHIVSHAKTI-1, UTTAM-3, NPC-1, BGL-1, NUCON-1, SRI.K-1, JB-1 DURABLE-1, ASI-1, SARAF-1	2200.4
177	20	16 KVA	SARAF-3, PP-1, BANSAL-4, DURABLE-8, ARD-1, ASI-2, DYNAMIC-1	2229.2
Total	165			13009.5

Lot No. E 27 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Barnala

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
145	25	6.3 KVA	NPC-3, NUCON-2, MRN-2, BANSAL-1, JB-7, AMSON-2, GTB-2, SIC-3, PP-2, JK-1	1495
146	25	6.3 KVA	BANSAL-2, MRN-1, JB-6, NPC-3, NUCON-3, MUSKAN-2, SIC-5, PTEL-2, AMSON-1	1506
147	25	6.3 KVA	JB-9, SIC-2, PTEL-2, NPC-4, PP-1, AMSON-1, SUSHIL-1, MRN-2, BANSAL-1, NUCON-1, JK-1	1491
157	25	10 KVA	UTTAM-3, SUSHIL-2, JB-4, STAR-4, NPC-3, SKYWAY-2, NUCON-4, PP-2, PTEL-1	2046.4
158	25	10 KVA	NUCON-3, NPC-2, STAR-1, PP-2, UTTAM-3, MRN-1, SUSHIL-3, PTEL-1, JB-3, SIC-4, BGL-1, GTB-1	1977.4
175	20	16 KVA	DURABLE-6, NUCON-4, SARAF-1, M.SHAKTI-1, TA-1, PP-2, NPC-1, SIC-1, HITECH-1, SHIV.S-1, ECOPOWER-1	2120.4
176	20	16 KVA	SARAF-4, SKYWAY-1, DURABLE-4, PP-1, SRI.K-2, HARIT-1, M.S-1, NPC-1, BGL-1, ASI-1, UTTAM-2, PTEL-1	2173.1
Total	165			12809.3

Lot No. E 28 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Mansa

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
61	25	6.3 KVA	PCE-7, NPC-3, SIC-6, M.SHAKTI-1, PBN-5, PP-3	1487
62	25	6.3 KVA	PCE-6, JKN-1, NPC-3, SIC-6, M.SHAKTI-2, PBN-2, PTEL-4, PP-1	1494
63	25	6.3 KVA	PCE-1, JKN-3, NPC-9, SIC-2, M.SHAKTI-2, PBN-2, PTEL-2, NUCON-1, PP-1, MUSKAN-1, MCPC-1	1483
64	25	6.3 KVA	PEC-1, JKN-1, SUSHI-1, NPC-7, SIC-5, S.WAY-1, JBE-1, M.SHAKTI-2, HI TECH-1, PBN-1, PTEL-1, NUCON-1, PP-2	1475
76	25	16 KVA	M.SHAKTI-5, JR-2, HRPOWER-1, HT-1, NUCON-3, S.KRISHNA-4, SARAF-3, UTTAM-3, AGGARWAL-1, S.SHKATI-2,	2392
82	25	10 KVA	PCE-5, SUSHIL-1, NPC-3, SKYWAY-2, STAR-1, JBE-2, BBN-2, JR-3, PTL-3,NUCON-1,PP-1,PAN-1	1945
	150			10276

Lot No. E 29 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Mansa

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
65	25	6.3 KVA	JKN-3, SUXHIL-1, NPC-7, SIC-2, S.WAY-1, JB-3, M.SHAKTI-3, P.TECH-1, PTEL-1, NUCON-1, AMSON-1, MUSKAN	1427
66	25	6.3 KVA	JKN-1, SUSHIL-1, NPC-12, SIC-2, JBE-4, HI TECH-1, PTEL-1, AMSON-1, PP-2	1506
67	25	6.3 KVA	JKN-2, SUSHIL-3,, NPC-9, JBE-6, M.SHAKTI-1, HI TECH-1, PTEL-1, MUSKAN-1, SIC-1	1519
68	25	6.3 KVA	NPC-5, SIC-3, JBE-5, M.SHAKTI-1, PBN-1, PTEL-1, NUCON-4, S.KRISHNA-1, SARAF-1, PP-2, ASI-1	1443
77	25	16 KVA	NPC-1, M.SHAKTI-3, HI TECH-1, PTEL-2, NUCON-11, S.KRISHNA-1, SARAF-2, P-1, UTAM-2, S.SHAKTI-1	2411
83	25	10 KVA	PCE-1, SIC-2,JBE-11, JR-1, PTEL-1, UTTAM-3,PAN-2,DAUSA-1,AGGARWAL-2, STAR-1	2004
	150			10310

Lot No. E 30 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Mansa

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
69	25	6.3 KVA	JKN-1, NPC-6, SIC-2, JBE-6, M.SHAKTI-2, HI TEHC-1, NUCON-1, PP-1, PTEL-5	1492
70	25	6.3 KVA	JKN-1, SUSHIL-1, NPC-2, SIC-2, JBE-5, HTT-1, PTEL-4, NUCON-3, S.KRISHNA-1, SARAF-2, PP-1, MUSKAN-2	1466
71	25	6.3 KVA	SUHSIL-1, NPC-5, SIC-2, S.WAY-2, JBE-5, M.SHAKTI-3, PTEL-4, NUCON-1, S.KRISHNA-1, PP-1	1480
72	25	6.3 KVA	NPC-3, SIC-2, JBE-1, M.SHAKTI-1, PTECH-2, PTEL-10, NUCON-3, PP-2, AMSON-1	1453
78	20	16 KVA	NPC-3, HI TECH-1, NUCON-12, S.SHAKTI-3, DAUSA-1	1954
84	25	10 KVA	SUHSIL-2, GTB-2, SIC-1, S.WAY-1, JBE-5, M.SHAKTI-1, PTEL-2, NUCON-1, STAR-3, PP-2, BANSL-1, UTTAM-1, PAN-2, MUSKAN-1	1916
	145			9761

Lot No. E 31 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Mansa

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
73	25	6.3 KVA	NPC-6, SIC-2, JBE-3, M.SHAKTI-2, PTEL-5, NUCON-2, S.KRISHNA-1, PP-2, MUSKAN-2	1481
74	25	6.3 KVA	PCE-2, NPC-7, SIC-3, JBE-2, PTECH-1, PTEL-5, NUCON-1, S.KRISHNA-1, SARAF-1, PP-1, TA-1	1483
75	15	6.3 KVA	NPC-2, SIC-1, S.WAY-1, JBE-2, PTECH-2, PTEL-3, NUCON-1, PP-1, TA-2	880
85	25	10 KVA	SUSHIL-2, NPC-1, SIC-5, S.WAY-2, STAR-1, JBE-3, M.SHAKTI-1, S.KRISHNA-2, SARAF-1, UTTAM-3, PAN-2, MUSKAN-2	2015
86	25	10 KVA	SUSHIL-4, NPC-1, SIC-3, STAR-2, JBE-4, HI TECH-1, JR-1, S.KRISHNA-2, SARAF-3, BANSAL-1, PAN-1, MUSKAN-1, M.SHAKTI-1	1951
87	25	10 KVA	SUSHIL-1, NPC-1, SIC-1, S.WAY-2, STAR-1, JBE-3, M.SH-1, JR-3, NUCON-1, S.KRISHNA-1, SARAF-3, JP-1, PP-2, UTTAM-4	2015
	140			9825

Lot No. E 32 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Patran

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
66	25	6.3 KVA	BANSAL-1,NPC-4,PTEL-4M.SH-4,NUCON-4,SICL-6, GB-1,AMSON-1,	1391
66/1	25	6.3KVA	PTEL-3,SICL-11,SWASTIK-1,NPC-6,SUSHIL-1, M.SH-2, NUCON-1,	1242
66/2	25	6.3KVA	SICL-7, M.SH-4, AMSON-1, NUCON-5, NPC-3, PTEL-3, SWASTIK -1, MUSKAN-1,	1385
67	25	10 KVA	SICL-11,M.SH-2, JK-1,PTEL-2, SUSHIL -2, NUCON-1, NPC-2, SWISTIK-1, AMSON-1, JB-1, UTTAM-1,	1828
67/1	25	10KVA	SICL-7, BANSL-2, M.SH-2, NPC-5, NUCON-5, PP-2, UTTAM-1, PTEL1,	1846
74	25	10 KVA	SICL-10, NPC-1, PAN-1, SUSHIL-2, S.KRISHNA-1, UTTAM-4, NUCON-1, SHIVALIK-1, GTB-1, PTEL-3	2066
	150			9758

Lot No. E 33 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Patran

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
74/1	25	10 KVA	UTTAM-3, SICL-9, PTEL-4, AMSON-1, PPI-2, NPC-3, NUCON-1, BGL-2	2128
74/2	25	10 KVA	BANSAL-1, SICL-11, SUSHIL-2, PTEL-3, NUCON-1, PPI-1, S.WAY-3, PAN-1, MCPL-1, UTTAM-1	2203
74/3	25	10 KVA	PTEL-4, STAR-1, SICL-10, SUSHIL-1, UTTAM-5, PPI-1, MCPL-1, BANSAL-2	2159
74/4	25	10 KVA	SICL-7, PTEL-8, NPC-2, JB-2, MCPL-1, UTTAM-4, S.KRISHNA-1	2156
66/3	25	6.3 KVA	AMSON-5, BANSAL-1, PTEL-6, M.SH-3, NUCON-3, NPC-2, STAR-1, SWASTIK-2, SICL-2,	1436
75	25	6.3 KVA	SUSHIL-1, SICL-4, NUCON-3, MSPL-2, STAR-1, PTEL-6, BGL-3, MUSKAN-1, AMSON-1, NPC-3	1601
	150			11683

Lot No. E 34 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Patran

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
75/1	25	6.3 KVA	NPC-5, BGL-3, NUCON-3, PTEL-7, SICL-2, SUSHIL-1, AMSON-2, JB-1, MCPL-1	1620
75/2	25	6.3 KVA	NPC-6, AMSON-1, SICL-7, MCPL-7, NUCON-1, SUSHIL-1, STAR-1, JB-1	1562
75/3	25	6.3 KVA	NPC-4, PTEL-3, SICL-6, NUCON-5, MCPL-1, SUSHIL-1, AGGARWAL-1, S.WAY-1, AMSON-1, BGL-2	1572
74/5	25	10 KVA	PTEL-3, SICL-13, SUSHIL-3, BANSAL-1, NPC-2, UTTAM-3	2123
74/6	25	10 KVA	PTEL-7, SICL10, UTTAM-4, JB-1, PAN-1, SUSHIL-1, S.WAY-1	2069
74/7	25	10 KVA	SICL-7, S.WAY-2, NPC-1, STAR-1, UTTAM-3, NUCON-2, PPI-1, JB-1, JK-2, PTEL-4, S.WAY-1	2155
74/8	25	10 KVA	SICL-12, SUSHIL-2, PAN-1, MCPL-1, STAR-1, PP-1, PTEL-2, S.WAY-1, DYNAMIC-1, JB-1, NPC-1, NUCON-1	2125
	175			13226

Lot No. E 35 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Ropar

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
117	25	10 KVA	PTL-4, NPC-4, NSL-1, UBE-2, PPI-4, SUS-1, SIC-3, MKN-2, STB-1, EPS-1, SHIVALIK-1, HIJ-1	2049
121	25	10 KVA	SIC-2, UBE-6, ECN-1, PPI-3, PTL-2, ADN-1, NPC-3, NSL-4, SEF-2, STB-1	2053
118	25	6.3 KVA	MRN-2, PTL-5, SIC-5, STAR-1, NLP-3, AMN-1, NSL-4, HIJ-2, S.WAY-1, NPC-1	1555
119	25	6.3 KVA	SIC-8, PTL-8, NPC-3, NSL-1, AMN-2, PPI-1, SHIVALIK-1, MSK-1	1619
122	25	16 KVA	PPI-10, NSL-3, PBN-2, SIC-1, UBE-2, ADN-1, JBE-2, NPC-1, PTL-2, SEN-1	2695
	125			9971

Lot No. E 36 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Ropar

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
123	25	16 KVA	NSL-4, NPC-3, SEN-3, SIC-1, PPI-10, JB-1, UBE-1, BGN-2	2743
126	25	10 KVA	HIJ-4, NPC-3, PTL-3, PPI-1, ECN-1, SIC-3, PAN-1, BGN-2, SKY-2, JB-2, NSL-2, JRB-1	2030
127	25	10 KVA	UBE-5, SUS-1, HIJ-3, PTL-6, NPC-1, NSL-5, ECN-1, SEF-1, PPI-2	2022
128	25	10 KVA	NSL-6, UBE-5, NPC-6, SUS-1, HIJ-2, SK-1, PTL-4	2097
120	25	6.3 KVA	SIC-8, NPC-5, NSL-7, PTL-4, SEF-1	1648
124	25	6.3 KVA	NSL-6, NPC-7, PTEL-3, BGN-2, GTB-3, UBE-1, SIC-2, KSN-1	1606
125	25	6.3 KVA	SEF-1, NSL-6, SIC-5, NPC-3, STB-1, JB-1, BGN-1, PTL-2, MRN-3, GTB-1, JKT-1	1557
	175			13703

Lot No. E 37 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Patiala

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
1309	25	6.3 KVA	PTEL-5, AMSON-3, ARDISON-2, NSL-1, NPC-6, M.SHAKTI-2, GTB-1, PP-2, STAR-1, SIC-2	1517
1310	25	6.3 KVA	NPC-5, PTEL-6, NSL-7, JB-1, M.SHAKTI-4, SIC-1, STAR-1	1564
1314	25	10 KVA	SIC-8, JR-2, PTEL-5, SE-2, NPC-3, UTTAM-2, M.S-2, NSL-1	2063
1315	25	10 KVA	SIC-12, UTTAM-2, JR-2, NPC-1, PTEL-4, PP-1, S.WAY-1, SUSHIL-1, JB-1	2156
1324	25	16 KVA	S.SHAKTI-3, NSL-2, PTEL-5, SE-1, SIC-7, PP-1, NGL-2, HI TECH-3, NPC-1	3019
1325	25	16 KVA	UTTAM-2, SE-1, NPC-2, NSL-3, SIC-7, PTEL-8, GTB-1, S.KRISHNA-1	3046
	150			13365

Lot No. E 38 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Patiala

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
1326	25	16 KVA	PTEL-11, SIC-6, S.SHAKTI-2, BGL-2, JB-2, UTTAM-1, M.SHAKTI-1	3137
1327	25	16 KVA	PTEL-9, SIC-4, JR-2, ARDISON-2, SE-4, JB-2, NPC-1, M.S.-1	3050
1316	25	10 KVA	AMSON-2, UTTAM-2, NSL-4, SIC-5, PTEL-2, PP-2, S.WAY-1, NPC-4, SE-1, GTB-1, H.TECH-1	2091
1317	25	10 KVA	PP-2, SIC-12, NSL-1, PTEL-5, SE-4, UTTAM-1	2166
1311	25	6.3 KVA	SIC-6, M.SHAKTI-4, STAR-2, PP-2, NPC-4, BGL-1, NSL-2, PTEL-4	1507
1312	25	6.3 KVA	M.S.-2, NSL-3, AMSON-2, SIC-2, NPC-8, ARDISON-2, PTEL-3, STAR=1, PP-1, BGL-1	1528
1313	17	6.3 KVA	ARDISON-1, PTEL-5, SIC-3, NPC-4, NSL-3, STAR-1	1040
	167			14519

NOTE : Before lifting of Transformers (From Lot no. E 1 to E 38), HT/LT copper winding coils of transformers shall be mutilated by the purchaser.