

**Controller of Stores & Disposal (South), PSPCL, Patiala**

**E - Auction Notice No. - EA/06/PTA-13**

**Date of Auction - 4.4.2013**

Following Scrap Material is Offered for On-Line Forward E-Auction at the above mentioned date as per the prevailing PSPCL's Terms & Conditions of the E-Auction Sale ( available on PSPCL web site www.pspcl.in) on "As - Is - Where - Is " basis.

<b>Lot No. A 1 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Ferozepur</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
56	25	63 KVA	JB-8, SARAF-1, TA-7, SSC-1, ELECTRA-4, PPSC-1, PME-1, NUCON-2	4935
57	25	63 KVA	NUCON-3, PME-3, TA-5, JB-5, ACT-2, ELECTRA-3, SIC-2, MMK-1, SWASTIK-1	4952
62	14	100 KVA	ELECTRA-1, JB-7, NUCON-3, NGEF-1, TA-1, ETS-1	3918
	64			13805

<b>Lot No. A 2 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Ferozepur.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
60	19	100 KVA	ELECTRA-1, JB-8, PPSC-1, TA-6, PME-1, TE-1, NUCON-1	5155
61	23	100KVA	JB-12, TA-5, NUCON-4, ELECTRA-1, PPSC-1	6350
	42			11505

<b>Lot No. A 3 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Patiala.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
27/12	25	63 KVA	PPSC-4, SE-1, IACL-3, TA-3, JB-3, PME-2, ETM-6, APEX-1, NSL-2	5098
28/12	25	63 KVA	ETM-3, JB-6, PPSC-2, PME-2, IACL-3, ALFA-1, OT-1, JE-1, TA-5, NSL-1	5111
42/1207	10	25 KVA	ELECTRA-3, ACT-1, KEL-1, ECE-1, SST-1, TA-2, JB-1	1093
	60			11302

<b>Lot No. A 4 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Kotkapura.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
KKK/53/13	20	63 KVA	NUCON-3, MMK-2, JB-7, ELECTRA-3, IACL-1, TA-4	3905
KKK/54/13	20	100 KVA	NUCON-3, ELECTRA-1, TA-8, S.SHAKTI-2, JB-2, UTTAM-1, ECE-1,	5275
KKK/55/13	20	25 KVA	PME-2, TA-5, JB-3, ECE-4, ELECTRA-1, IACL-2, SIC-2, TE-1	2121
	60			11301

<b>Lot No. A 5 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Kotkapura.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
KKK/56/13	20	63 KVA	PME-4, SIC-1, ECE-2, NGEF-1, JB-5, NUCON-1, S.SHAKTI-1, TA-5	4157
KKK/57/13	20	63 KVA	ECE-1, IACL-1, TA-4, JB-4, NUCON-1, ELECTRA-4, ACT-1, PME-4	3903
KKK/58/13	20	63 KVA	SEF-1, PPSC-1, IACL-3, TA-8, FVU-1, MMK-2, PME-1, JB-2, ACT-1	4089
	60			12149

<b>Lot No. A 6 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Kotkapura.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
KKK/59/13	19	25 KVA	JB-3, ELECTRA-4, SIC-2, TA-3, TE-2, IACL-1, ACT-1, S.SHAKTI-1, PME-1, KEL-1	1957
KKK/60/13	20	100 KVA	VE-1, NUCON-2, JB-9, PME-3, IACL-1, TA-2, TE-1, SIC-1	5135
KKK/61/13	20	63 KVA	JB-8, TA-4, VE-1, PME-2, S.SHAKTI-1, UTTAM-1, ELECTRA-2, MMK-1	4094
	59			11186

<b>Lot No. A 7 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Kotkapura.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
KKK/62/13	20	100 KVA	TA-8, JB-4, SIC-1, NUCON-3, IACL-1, VE-1, PME-1, MMK-1	5185
KKK/63/13	7	25 KVA	JB-2, TA-1, SIC-2, ELECTRA-1, JR-1	746
KKK/64/13	12	63 KVA	ELECTRA-4, JB-2, S.SHAKTI-2, NUCON-2, MMK-1, ACT-1	2458
KKK/65/13	5	100 KVA	JB-3, SIC-1, NUCON-1	1303
	44			9692

<b>Lot No. A 8 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Moga.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
SRM/86/13	20	63 KVA	TA-4, M&M-1, NUCON-1, S.SHAKTI-1, JB-6, SARAF-3, PME-1, IACL-2,	4007
SRM/93/13	20	63 KVA	PME-2, ECE-3, NUCON-2, TA-2, S.SHAKTI-1, JBE-6, ELECTRA-3, SARAF-1	4052
SRM/69/13	20	100 KVA	S.SHAKTI-1, JBE-8, PME-4, NUCON-1, TA-3, IACL-2, ALFA-1	5300
	60			13359

<b>Lot No. A 9 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Moga.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
SRM/70/13	20	100 KVA	TA-7, JBE-6, IACL-1, PME-1, PUNJAB-3, S.SHAKTI-1, NGEF-1	5392
SRM/71/13	20	100 KVA	NGEF-2, JBE-6, NUCON-1, M&M-1, PME-3, IACL-2, S.SAHKTI-2, TA-2, VE-1	5294
SRM/94/13	15	63 KVA	NGEF-2, JBE-4, IACL-4, ORIENTAL-1, TA-1, ELECTRA-1, NUCON-1, PME-1	3050
	55			13736

<b>Lot No. A 10 Aluminium Wound Damaged Distribution Transformers (Without oil along with accessories as per actual site condition) lying at TRY Ropar.</b>				
Survey Off Report No.	No of T/Fs	Capacity (KVA)	Make Of T/ F.s	Indicative Design Wt. of Core & Winding (KG)
56	9	200 KVA	ECE-2, APEX-2, IACL-4, JKT-1	4087
	2	300 KVA	OCC-1, JBE-1	1160
	1	500 KVA	JE-1	1000
	12			6247

<b>Lot No. B 1 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.</b>				
S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
15	25	6.3 KVA	PTEL-3, GTB-2, NPC-3, HR-1, BANSAL-1, SIC-2, JB-4, SWT-1, STAR-3, NUCON-2, MS-2, PP-1	1426
16	25	6.3 KVA	PTEL-8, NUCON-2, BGL-1, SIC-4, SARAF-1, GTB-2, JB-2, NPC-3, STAR-1, PP-1	1473
27	20	10 KVA	SHIVALIK-8, PTEL-2, JB-2, MCPL-1, SIC-1, SUSHIL-1, NPC-1, UTTAM-1, AGGARWAL-1, NUCON-1, S.KRISHNA-1	1549
28	20	10 KVA	SIC-4, JB-1, SHIVALIK-6, S.KRISHNA-1, PP-1, DYNAMIC-1, MS-1, HAVEL-1, GTB-1, HR-1, PTEL-2	1530
	90			5978

<b>Lot No. B 2 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla</b>				
S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
29	20	10 KVA	S.KRISHNA-1,, SHIVALIK-3, JB-1, SIC-3, NPC-3, DYNAMIC-1, PTEL-3, HR-2, ARDISON-1, AGGARWAL-1, MS-1	1553
30	20	10 KVA	SHIVALIK-4, MCPL-2, JB-2, SHIVA-1, SIC-5, PTEL-2, NUCON-1, ARDISON-1, HR-1, JR-1	1546
17	25	6.3 KVA	SIC-3, NPC-2, SHIVALIK-6, BGL-1, SHIVA-2, GTB-1, PTEL-3, MS-1, JB-3, PP-3	1361
18	25	6.3 KVA	SHIVALIK-8, PTEL-5, NUCON-2, SUSHIL-1, SIC-3, JB-2, NPC-2, SARAF-1, GTB-1	1385
	90			5845

<b>Lot No. B3 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.</b>				
S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
19	25	6.3 KVA	SIC-5, GTB-2, MS-1, PP-1, JB-1, NUCON-3, JK-1, UTTAM-1, PTEL-4, NPC-2, SUSHIL-1, SHIVALIK-2, AMARSON-1	1478.5
20	25	6.3 KVA	SIC-5, SKYWAY-3, JB-3, NUCON-1, NPC-4, SUSHIL-2, SHIVALIK-2, PP-1, GTB-3, PTEL-1	1412
31	20	10 KVA	HR-5, SIC-7, MCPL-3, JB-2, PTEL-2, S.WAY-1	1586
32	20	10 KVA	SHIVALIK-8, DYNAMIC-2, AGGARWAL-2, NUCON-1, JB-2, SIC-4, PTEL-1	1514
	90			5991

<b>Lot No. B 4 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.</b>				
S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
33	20	10 KVA	SIC-9, PTEL-1, UTTAM-2, SHIVALIK-5, HI TECH-2, PAN-1	1510
34	20	10 KVA	SIC-7, PAN-1, PTEL-3, SHIVALIK-4, NCP-1, HR-2, ARDISON-1, MCPL-1	1517
21	25	6.3 KVA	NUCON-2, SIC-4, SUSHIL-2, NPC-6, BGL-1, PTEL-2, JB-2, GTB-2, MS-1, PP-2, UTTAM-1	1485.5
22	25	6.3 KVA	NPC-4, PTEL-6, GTB-4, SUSHIL-1, SIC-6, MS-1, JB-3	1436
	90			5949

<b>Lot No. B 5 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.</b>				
S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
23	25	6.3 KVA	PP-4, NUCON-6, NPC-4, SUSHIL-1, STAR-1, SIC-4, BGL-1, MS-1, BANSAL-1, PTEL-1, JB-1	1510
24	25	6.3 KVA	PP-3, SIC-9, NPC-5, NUCON-2, PTEL-3, MS-2, SUSHIL-1	1515
35	20	10 KVA	PTEL-1, SHIVALIK-12, HI TECH-1, SIC-5, MS-1,	1477
36	20	10 KVA	PTEL-4, SIC-5, SHIVALIK-6, HR-1, MCPL-1, SUSHIL-2, S.WAY-1	1506
	90			6008

**Lot No. B 6 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Patiala**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
19/12	25	10 KVA	SIC-8, NPC-2, M.S.-2, SE-3, UTTAM-2, PP-1, PTEL-4, JR-1, BGL-1, PAN-1	1807
20/12	10	10 KVA	NSL-3, JR-1, S.WAY-1, MSK-1, PP-3, BGL-1	801
21/12	25	6.3 KVA	GTB-1, NSL-5, PTEL-5, PP-2, SIC-3, MSK-5, NPC-4	1396
22/12	25	6.3KVA	NPC-2, SIC-7, M.S.-2, AMSON-2, PTEL-1, STAR-3, NSL-4, PP-2, SUSHIL-1, BGL-1	1387
	85			5391

**Lot No. B 7 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Patiala.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
17/12	25	10 KVA	SIC-7, PTEL-4, NPC-2, UTTAM-1, SUSHIL-2, AMSON-1, PP-3, GTB-1, NSL-2, JR-1, S.WAY-1	1850
18/12	25	10 KVA	NPC-4, SIC-5, SUSHIL-1, NSL-2, JK-1, JB-1, PP-3, M.SHAKTI-1, PTEL-2, AMSON-1, GTB-1, S.KRISHNA-1, SE-2	1909
23/12	10	6.3KVA	ARDISON-1, GTB-2, NPC-4, M.SHAKTI-2, SUSHIL-1	615
	60			4374

**Lot No. B 8 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotkapura**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/17/12	20	6.3KVA	PP-3, JR-1, MRN-3, TA-1, HRPOWER-2, SEF-2, DTPL-2, NPC-2, AGGARWAL-1, SHIVALIK-2, PTEL-1	1209
KKK/18/12	20	6.3KVA	MRN-3, JB-2, SEF-2, DTPL-6, UTTAM-1, TA-1, JR-2, HR POWER-2, PTEL-1	1207
KKK/80/13	20	10 KVA	JR-3, JM-2, HIGHTECH-1, SKE-1, MRN-1, PP-6, AGGARWAL-1, DTPL-2, SIC-2, JB-1	1601
KKK/81/13	20	10 KVA	UTTAM-1, DTPL-3, MRN-1, GTB-1, SKYWAY-2, JR-6, HIGHTECH-1, JM-2, SEF-1, SKSU-1, SIC-1	1612
	80			5629

**Lot No. B 9 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotkapura**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/21/12	20	6.3KVA	UTTAM-1, PTEL-2, JM-2, HRPOWER-1, NSL-3, JR-5, SEF-2, NPC-1, DTPL-2, SUSHIL-1	1181
KKK/22/12	20	6.3KVA	PP-3, JR-1, MRN-4, HRPOWER-4, NSL-1, JB-3, PTEL-2, NPC-1, DTPL-1	1189
KKK/84/13	20	10 KVA	SKYWAY-4, JM-2, JR-9, MRN-1, HIGHTECH-1, JB-1, NSL-1, UTTAM-1	1598
KKK/85/13	20	10 KVA	UTTAM-1, SKSU-1, JM-5, JR-7, SIC-2, SKYWAY-1, HIGHTECH-1, PTEL-1, NPC-1	1570
	80			5539

**Lot No. B 10 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotkapura**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/86/13	20	10 KVA	HIGHTECH-2, JM-7, PP-1, JB-2, NUCON-1, JR-5, SKYWAY-1, PTEL-1	1580
KKK/87/13	20	10 KVA	SIC-1, JR-7, JM-4, DTPL-1, JB-2, MUSKAN-1, PP-1, MRN-1, SUSHIL-2	1585
KKK/23/12	20	6.3KVA	NPC-1, DTPL-4, HRPOWER-1, MRN-3, SIC-1, PTEL-4, AGGARWAL-1, JB-1, PP-3, JR-1	1212
KKK/24/12	20	6.3KVA	HRPOWER-2, SIC-1, NPC-2, NSL-1, MRN-4, DTPL-2, PP-1, JR-3, JM-2, SEF-1, PTEL-1	1187
	80			5563

**Lot No. B 11 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotkapura**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/27/12	20	6.3 KVA	JR-4, SIC-2, JB-2, JM-2, ARDISON-1, MRN-3, NPC-2, PTEL-3, PP-1	1191
KKK/28/12	20	6.3 KVA	MRN-3, PTEL-6, PP-1, DTPL-2, JB-1, JR-5, HR POWER-1, SEF-1	1193
KKK/90/13	20	10 KVA	SIC-1, PP-2, JK-1, JR-6, JM-3, MRN-2, PTEL-2, DTPL-1, S.WAY-1, NPC-1	1576
KKK/91/13	20	10 KVA	JM-5, TA-1, JR-8, UTTAM-3, HITECH-1, PTEL-1, SIC-1	1589
	80			5550

**Lot No. B 12 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotkapura**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/92/13	20	10 KVA	JR-6, JM-6, SIC-3, S.WAY-2, PTEL-1, NPC-1, MRN-1	1560
KKK/93/13	20	10 KVA	NPC-2, JB-2, JM-6, JB-5, UTTAM-2, S.WAY-1, SIC-1, PTEL-1	1568
KKK/29/12	20	6.3 KVA	JB-2, JR-3, MRN-3, JM-3, SEF-2, NSL-1, DTPL-2, NPC-1, SHIVALIK-1, PTEL-1	1176
KKK/30/12	20	6.3 KVA	JM-1, JR-4, DTPL-6, NPC-1, SEF-2, JB-2, HRPOWER-1, PP-2, SUSHIL-1	1204
	80			5508

**Lot No. B 13 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotkapura**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/31/12	20	6.3 KVA	JR-3, DTPL-5, JB-2, HRPOWER-1, SEF-4, NPC-1, PTEL-3, ARDISON-1	1202
KKK/32/12	20	6.3 KVA	ARDISON-1, MRN-4, HRPOWER-3, SEF-2, SIC-1, PTEL-1, PP-1, JR-6, DTPL-1	1198
KKK/94/13	20	10 KVA	NPC-1, JM-8, JR-2, AMSON-1, SIC-3, PTEL-1, NPC-1, SUSHIL-1, MUSKAN-1, DTPL-1	1564
KKK/95/13	20	10 KVA	SUSHIL-3, MRN-1, JM-6, PAN-1,, PP-1, KISSAN-1, DAUSA-1, JR-5, SIC-1	1588
	80			5552

**Lot No. B 14 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Kotkapura**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
KKK/96/13	20	10 KVA	NPC-1, S.WAY-2, JB-1, JM-6, SIC-1, HITECH-1, PTEL-1, PP-3, STAR-1, JR-3	1498
KKK/97/13	20	6.3KVA	JR-4, NUCON-2, MRN-1, PTEL-2, SHIVALIK-4, PP-1, DTPL-1, JB-1, NPC-1, HR POWER-1, MUSKAN-1, SIC-1	1158
KKK/99/13	20	10 KVA	JM-8, PTEL-1, JR-6, JB-2, S.WAY-2, MRN-1	1562
KKK/33/12	20	6.3 KVA	JR-5, NPC-1, MRN-3, DTPL-4, S.WAY-1, PTEL-2, SIC-1, HRPOWER-1, SHIVALIK-2	1209
	80			5427



**Lot No. B 15 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Sangrur.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
134	25	6.3 KVA	SIC-3, NUCON-4, PTEL-5, MRN-4, NPC-7, MRN-1, STAR-1	1535
135	25	6.3 KVA	NPC-6, PTEL-6, NUCON-4, AMSON-1, PPI-1, MRN-3, STAR-1, SIC-2, SHIV-1	1526
156	25	10 KVA	PP-1, S.WAY-5, SIC-4, KISSAN-2, PTEL-1, ARDISON-1, M.SHAKTI-1, SUSHIL-3, NPC-1, NUCON-1, JK-1,	1977
165	20	16 KVA	JB-1, JLD-1, DURABLE-2, NUCON-3,	2191
	95			7229

**Lot No. B 16 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY SANGRUR**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
166	20	16 KVA	MS-9, PTEL-1, UTTAM-1, HR-6, NUCON-1, TA-1, S.SHAKTI-1,	2253
157	21	10 KVA	NPC-2, HR-5, BGL-2, JK-1, UTTAM-1, M.SHAKTI-4, S.WAY-2, GTB-1,	1586
136	25	6.3 KVA	PTEL-4, MRN-4, NPC-4, SIC-3,	1528
137	25	6.3 KVA	NUCON-3, MRN-3, JK-1, PTEL-5, AMSON-1, SIC-5, NPC-6, MRK-1	1522
	91			6889

**Lot No. B 17 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY SANGRUR**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
138	25	6.3 KVA	PTEL-7, SIC-7, PPI-3, GTB-1, MRN-2, NPC-4, MRK-1	1503
139	25	6.3 KVA	NPC-6, AMSON-1, SIC-5, PTEL-5, JB-3, MRN-2, STAR-2, MS-1	1517
158	25	10 KVA	PP-1, HR-4, NPC-3, JK-1, STAR-2, ARDISON-1, UTTAM-2, JB-2, PTEL-3, M.SH-6	2058
167	20	16 KVA	MS-4, NUCON-6, BGL-1, PP-2, HR-2, S.KRISHNA-1, S.SH-1, JB-1, NPC-1, DURABLE-1	2119
	95			7197

**Lot No. B 18 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY SANGRUR**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
142	25	6.3 KVA	NPC-5, NUCON-3, PTEL-3, JB-2, GTB-2, SIC-3, SKY-1, MRN-5, AMSON-1	1515
143	25	6.3 KVA	JB-4, MRN-5, BGL-1, NPC-5, SIC-2, AMSON-3, PTEL-2, GTB-1, JK-1, PP-1	1505
160	25	10 KVA	PP-2, NUCON-2, HR-2, ARDISON-1, STAR-1, HI TECH-1, UTTAM-1, M SH-3, S.WAY-2, JB-1, JK-2, GTB-2, PTEL-1, SUSHIL-1, SIC-3	2021
169	20	16 KVA	NUCON-7, MS-7, DURABLE-1, PME-1, HITEHC-1, NPC-1, PTEL-1, S.KRISHNA-1	2101
	95			7142

**Lot No. B 19 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
1	16	6.3 KVA	MS-5, ARDISON-1, HR-2, NPC-1, SEF-1, DURABLE--1, PP-3, SIC-1, TA-1	981
2	16	6.3 KVA	MS-2, HR-2, SEF-1, TA-5, DRBL-1, PP-4, SIC-1	904
3	16	6.3 KVA	MS-3, HR-2, NPC-3, SEF-3, PBN-5,	967
4	16	6.3 KVA	MS-3, ARD-2, HR-5, NPC-3, JK-1, JB-1, PTEL-1	974
30	25	10 KVA	PAN-7, HR-3, MS-5, Durable-1, Skyway-5, Ard-1, Uttam-2, Nucon-1	2138
	89			5964

**Lot No. B 20 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
7	16	6.3 KVA	MS-2, HR-3, NPC-4, PP-3, JB-2, MCPL-1, STAR-1	974
8	16	6.3 KVA	MS-2, NPC-3, JB-4, MCPL-3, PAN-4	955
9	16	6.3 KVA	MS-2, ARD-1, HR-4, TA-1, JB-3, STAR-1, BGL-1, PTEL-3	935
10	16	6.3 KVA	MS-4, HR-1, NPC-5, SIC-1, JB-3, PTEL-2	973
31	25	10 KVA	PAN-4, HR-5, MS-5, Hi Tech-3, Skyway-2, Ard-1, Uttam-1, MCPL-1, Sushil-2, JK-1	2083
	89			5920

**Lot No. B 21 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
13	16	6.3 KVA	MS-4, ARD-1, HR-2, NPC-4, SEF-1, PBN-1, JB-3	975
14	16	6.3 KVA	MS-5, ARD-1, HR-1, NPC-2, SEF-2, JB-2, PTEL-3	961
15	16	6.3 KVA	MS-2, NPC-4, DRBL-4, PP-1, JB-5	978
29	16	16 KVA	MS-8, TA-1, PP-1, UTTAM-4, S.SAHKTI-1, NSL-1	1878
32	25	10 KVA	Sushil-1,MCPL-2,JB-1,PAN-1,HR-2,MS-9,Muskan-1, SkywAY-4, Ard-1, Uttam-2,PTEL-1	2101
	89			6892.6

**Lot No. B 22 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
33	25	10 KVA	MCPL-2, JB-1, JK-1, Sushil-2,PAN-3, HR-2, MS-6, PTEL-1, SkywAY-3, Ard-1, Uttam-2, SIC-1	2098
24	16	6.3 KVA	MS-5, HR-2, NPC-2, SEF-3, PP-1, JK-1, JB-1, MCPL-1	929
25	16	6.3 KVA	MS-6, HR-2, NPC-1, JB-5, PTEL-2	911
26	13	6.3 KVA	MS-6, HR-1, SEF-1, MCPL-2, BGL-1, PTEL-2	720
27	16	10 KVA	MS-5, HR-3, SIC-3, MCPL-1, PAN-1, S.WAY-2, UTTAM-1	1278
	86			5936

**Lot No. B 23 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY MALOUT**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
20	16	6.3 KVA	MS-7, HR-6, PP-1, JB-1, PAN-1	909
21	16	6.3 KVA	MS-5, ARD-1, HR-3, SEF-4, MCPL-1, PTEL-1, MUSKAN-1	917
22	16	6.3 KVA	MS-3, HR-4, SEF-1, PP-1, PBN-1, JB-1, MCPL-4, BGL-1	933
28	16	10 KVA	MS-5, ARD-1, HR-2, SIC-1, PBN-2, MCPL-1, PAN-2, S.WAY-2	1331
34	25	10 KVA	Muskan-1, S.way-2, HR-3, HR-1, PP-1, JB-3, uttam-1, PTEL-1, Nucon-2, PAN-3, MS-7	2103
	89			6193

**Lot No. B 24 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malout**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
16	16	6.3 KVA	MS-4, HR-2, NPC-3, PP-1, PBN-5, JB-1	961
23	16	6.3 KVA	MS-5, SEF-4, PP-3, SIC-1, JB-1, PTEL-2	913
17	16	6.3 KVA	MS-3, HR-4, NPC-2, SEF-1, PBN-1, JK-1, JB-2, MSPL-1, HI TECH-1	962
35	25	10 KVA	PAN-2, MS-7, PP-2, SIC-1, MuSkani-1, Uttam-1, Sushil-1, MCPL-1, SICL-1, Sky Way-1, PTEL-1, GTB-1, HR-3, JB-1, Durable-1	2095
18	16	6.3 KVA	MS-4, HR-2, NPC-4, JB-3, MSPL-2, PAN-1	976
	89			5907

**Lot No. B 25 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malout**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
36	18	16 KVA	PAN-1, MS-6, Shiv Shakti-4, Saraf-1, Muskan-1, Uttam-05	2106
11	16	6.3 KVA	MS-3, HR-6, NPC-4, SEF-1, PP-1, HI TECH-1	983
12	16	6.3 KVA	MS-6, ARD-1, HR-2, NPC-3, SEF-2, PP-1, JB-1	972
5	16	6.3 KVA	MS-4, NPC-1, SEF-1, SIC-1, PBN-6, JB-2, MCPL-1	951
6	16	6.3 KVA	MS-3, HR-6, NPC-2, PBN-1, JB-3, MCPL-1	966
19	16	6.3 KVA	MS-3, HR-2, NPC-3, DRBL-1, PP-1, PBN-1, JK-1, JB-3, MCPL-1	969
	98			6947

**Lot No. B 26 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FERROZEPUR**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
1	25	6.3 KVA	PTEL-10, SIC-8, NPC-6, JK-1	1507
2	25	6.3 KVA	PTEL-8, SIC-5, MRN-3, NPC-9	1537
70	20	10 KVA	UBE-5, PAN-1, SIC-5, NPC-1, STAR-1, JR-3, PTEL-1, HI TECH-1, JB-1, PP-1	1600
71	20	10 KVA	NUCON-1, NPC-2, STAR-1, PTEL-1, SUSHIL-2, UBE-1, PAN-1, MRN-1, SSE-2, SKYWAY-2, SIC-4, MUSKAN-1, JR-1	1640
	90			6284

**Lot No. B 27 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FEROZEPUR**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
72	20	10 KVA	UBE-1, JR-2, SIC-7, SARAF-1, S.WAY-1, HI TECH-2, SKS-1, SSE-1, PTEL-2, SUSHIL-1, NPC-1	1561
73	20	10 KVA	SUSHIL-3, HITECH-3, JR-3, SKS-2, GTB-1, AMSON-2, UBE-1, STAR-1, AGGARWAL-1, SIC-1, PTEL-1, S.WAY-1	1612
3	25	6.3 KVA	NUCON-9, PTEL-4, HI TECH-1, SIC-5, NGL-1, JK-1, PP-3, MRN-1	1537
4	25	6.3 KVA	NPC-6, PTEL-6, NUCON-4, PP-1, SIC-4, JB-1, BGL-1, GTB-1, JK-1	1541
	90			6251

**Lot No. B 28 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FEROZEPUR**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
5	25	6.3 KVA	PTEL-3, NUCON-3, SIC-4, NPC-7, JB-3, STAR-1, NGL-2, HI TECH-1, MRN-1	1542
6	25	6.3 KVA	NPC-10, SIC-4, JB-3, S.WAY-1, GTB-2, NUCON-3, PTEL-1, HI TEHC-1	1555
74	20	10 KVA	HI TECH-1, UBE-4, SSE-1, PTEL-2, JB-2, JR-3, PAN-2, PP-3, SUSHIL-1, SKS-1	1611
75	20	10 KVA	SUSHIL-1, NPC-1, JR-6, PTEL-4, SKS-1, DURABLE-2, SIC-3, MUSKAN-1, UBE-1	1545
	90			6253

**Lot No. B 29 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FEROZEPUR**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
76	20	10 KVA	JR-9, DURABLE-1, PAN-1, SIC-1, PTEL-4, PP-1, GTB-1, JB-1, NPC-1	1521
77	20	10 KVA	JR-11, SIC-2, HI TECH-1, SRAF-1, JB-1, STAR-1, JM-1, UBE-2	1533
7	25	6.3 KVA	NUCON-3, NPC-9, MRN-1, SIC-4, SUSHIL-1, PTEL-1, JB-5, PP-1	1538
8	25	6.3 KVA	SIC-1, JB-5, BGL-1, NPC-13, PTEL-1, NUCON-2, MRN-1, HI TEHC-1	1554
	90			6146

**Lot No. B 30 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY FEROZEPUR**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
9	25	6.3 KVA	NPC-7, AMSON-1, SIC-5, NUCON-4, JB-5, PP-2, PTEL-1	1519
10	25	6.3 KVA	NPC-8, AMSON-1, JB-3, SIC-2, SARAF-1, SUSHIL-2, HI TEHCH-2, NUCON-3, S.WAY-1, PP-1, PTEL-1	1524
78	20	10 KVA	JR-11, SUSHIL-2, PTEL-3, SSE-1, SIC-3	1536
79	20	10 KVA	JR-8, UBE-3, PTEL-2, SSE-1, HI TECH-1, SKS-1, AGGARWAL-1, PP-1, SUSHIL-1, SIC-1	1575
	90			6154

**Lot No. B 31 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
25	20	6.3 KVA	NUCON-2, SKY-1, PP-4, PTEL-2, SUSHIL-2, SIC-4, JK-1, JB-1, SHIVALIK-3	1128
37	20	10 KVA	S.WAY-1, SHIVALIK-2, SIC-9, PTEL-3, MCPL-1, HR-2, JB-2	1531
38	20	10 KVA	NPC-1, SIC-7, PP-1, SHIVALIK-3, MCPL-1, PTEL-4, JR-2, HI TECH-1	1502
66	20	16 KVA	PTEL-13, MCPL-3, MS-1, HR-2, SIC-1	2165
	80			6326

**Lot No. B 32 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
67	20	16 KVA	PTEL-8, HR-3, SIC-4, MCPL-4, MS-1	2297
39	20	10 KVA	SHIVALIK-7, SIC-5, PTEL-4, DYNAMIC-1, JR-1, HR-1, JB-1	1497
40	20	10 KVA	SHIVALIK-8, SIC-6, HI TECH-1, JB-1, ARDISON-1, MS-1, PTEL-1, HR-1	1515
41	20	10 KVA	SHIVALIK-8, HR-2, ARDISON-2, SIC-4, PTEL-1, DYNAMIC-2, ECO-1	1511
	80			6820

**Lot No. B 33 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
68	20	16 KVA	PTEL-11, MS-3, SIC-2, MCPL-1, HR-2, NUCON-1	2281
42	20	10 KVA	SIC-5, SHIVALIK-6, MS-2, MCPL-1, PTEL-3, S.WAY-1, MUSBAAN-1, JR-1	1519
43	20	10 KVA	SHIVALIK-7, S.WAY-1, SIC-3, PTEL-3, HR-1, MS-1, JB-1, JM-1, DYNAMIC-1, PAN-1	1530
44	20	10 KVA	NPC-1, PP-2, JB-2, HI TECH-1, SIC-9, SUSHIL-1, PTEL-1, MCPL-1, HR-1, ARDISON-1	1547
	80			6877

**Lot No. B 34 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
69	20	16 KVA	MCPL-3, PTEL-11, SHIVALIK-5, BANSAL-1	2239
45	20	10 KVA	PAN-1, S.WAY-1, SHIVALIK-8, SIC-4, JR-1, DYNAMIC-2, MS-1, SARAF-1, HR-1	1512
46	20	10 KVA	SIC-7, JB-6, PTEL-1, S.WAY-1 HR-3, SUSHIL-1, HITECH -1	1613
47	20	10 KVA	BANSAL-1, PTEL-2, MCPL-1, HR-3 ARDISON -1, JB-4, SIC-7, HITECH-1,	1596
	80			6960

**Lot No. B 35 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
70	20	16 KVA	HR-3, PTEL-8, SIC-4, NUCON-1, MCPL-2, PAN-1, JB-1	2265
48	20	10 KVA	SIC-8, HR-4, JB-4, S.WAY -1, PTEL-2, MS-1	1586
49	20	10 KVA	PTEL-3, SUSHIL-2, MS-1, SIC-7, HR-4, MCPL-1, S.WAY-1, STAR-1	1556
50	20	10 KVA	PTEL-4, HI TECH-1, PP-3, SIC-11, ARDISON-1	1489
	80			6896

**Lot No. B 36 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
51	20	10 KVA	SIC-10, S.WAY-1, MS-1, PTEL-2, HR-1, MCPL-1, ARDISON-2, UTTAM-1, NUCON-1	1532
52	20	10 KVA	HR-3, SIC-8, SUSHIL-1, MCPL-1, PTEL-4, UTTAM-2, PAN-1	1550
71	20	16 KVA	SIC-5, PTEL-7, JB-1, HR-4, TA-1, PP-1, NUCON-1	2254
72	20	16 KVA	PTEL-10, SIC-2, JB-1, HR-2, TA-3, NUCON-2	2227
	80			7563

**Lot No. B 37 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
73	20	16 KVA	MCPL-3, PTEL-7, SUSHIL-1, SIC-3, HR-1, NUCON-4, MS-1	2184
74	20	16 KVA	HR-5, SIC-3, PTEL-11, MCPL-1	2306
53	20	10 KVA	SIC-8, UTTAM-1, PTEL-2, HR-3, NUCON-3, MS-1, MCPL-1, SUSHIL-1	1538
54	20	10 KVA	HI TECH-2, NPC-2, MS-1, S.WAY-1, PTEL-3, SIC-7, UTTAM-3, MCPL-1	1554
	80			7582

**Lot No. B 38 Copper Wound Damaged Distribution Transformers Without oil along with accessories as per actual site condition lying at TRY Malerkotla.**

S.Report No.	No of T/Fs	Cap. in KVA	Description	Indicative Design Wt. of Core & Winding (KG)
55	20	10 KVA	SIC-6, MCPL-3, SHIVALIK-4, PTEL-3, HR-2, NUCON-1, MS-1	1528
56	20	10 KVA	PTEL-4, JB-1, SIC-6, HR-6, SUSHIL-1, NPC-1, NUCON-1	1557
75	20	16 KVA	PTEL-5, SIC-11, HR-2, SUSHIL-1, MCPL-1	2293
76	20	16 KVA	PTEL-12, NUCON-2, NCP-1, MCPL-2, GTB-1, SIC-1, HR-1	2259
	80			7637

**NOTE : Before lifting of Transformers (From Lot no. B 1 to B 38) HT/LT copper winding coils of transformers shall be mutilated by the purchaser.**